Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

NAUTILUS FIBERGLASS CLEANER - SAFETY DATA SHEET - november 2020 - n° batch 331-B0 - rev.1/19



NAUTILUS FIBERGLASS CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

Trade name: NAUTILUS FIBERGLASS CLEANER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Abrasive detergent mixture for teak.

Uses advised against: None.

1.3 Details of the supplier of the safety data sheet

Cecchi Gustavo & C. srl -

Via M. Coppino 253, 55049 Viareggio (LU) ITALY

www.cecchi.it - info@cecchi.it

1.4 Emergency number

Information in case of emergency: +39 0584 383694 - From monday to friday office hours 8:30 - 12:30, 14:00 - 18:30

SECTION 2: Hazards identification

2.2 Classification of substance or mixture (REGULATION (EC) No 1272/2008)

The mixture is classified as hazardous under the provisions of Regulation 1272/2008/ EC and following amendments and adjustments.

GHS05 GHS07 H302 H318

2.3 Labelling (REGULATION (EC) No 1272/2008)

The mixture is classified as hazardous under the provisions of Regulation 1272/2008/ EC and following amendments and adjustments.

Hazard pictograms:





Signal word: Warning Hazard statements:

H302 Toxic if swallowed

H318 Causes serious eye damage

H413 May be harmful to aquatic life with long lasting effects

Precautionary statements: Prevention:

P264 Wash hands thoroughly after handling

P280 Wear protective gloves. Protect the eyes.

P301/312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305/P351/P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or get medical advice in case of exposure.

P501 Dispose of contents/container in accordance with local /regional/ national/international regulation.

Contains: Sodium Lauryl Sulfate

See Section 16 for the full text of the hazard of the listed substances.

Other hazards

The use of this chemical entails the obligation of "Risk Assessment" by the employer in accordance with the provisions of the DLgs. April 9th 2008 n. 81. Workers exposed to this chemical agent are not subjected to health checks if the results of the risk assessment show that, depending on the type and amount of chemical agent and the method and frequency of exposure to this agent, there is only a "Moderate risk" to the health and safety of workers and that the measures provided by the DLgs are sufficient to reduce the risk.

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it





3. Composition/information on ingredients

| Chemical Name | Index Number | CAS-No. EC- No. Registration number | CE Number | Classification (1272/08/ue) | Reach Registration Number | % |
|------------------------------|----------------------|--|---------------|---|------------------------------|-------|
| Calcium Oxide | - | 1305-78-8 | 215- 138-9 | GHS05 DangerH315 H318 H335 | 01-2119475325-36- XXXX | 0 - 1 |
| Dihydrated Oxalic Acid | 607- 006-00- 8 | 6153-56-6 | 205- 634-3 | GHS07 Danger H302 H312 | 01-2119534576-33- XXXX | 15-25 |
| Potassium Oxide | - | 12136-45-7 | 235- 227-6 | GHS05 Danger H314 H318 | 01-2120109032-77- XXXX | 1-5 |
| Sodium lauril solfate | - | 85586-07-8 | 287- 809-4 | GHS05 GHS07 Danger H302 H315 H318 H332 H335 H412 | 01-2119489463-28- XXXX | 1 - 2 |

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled: Move to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration by trained personnel. Do not give any drug orally. Administer oxygen by trained personnel only. If unconscious place in recovery position and seek medical advice.

If swallowed: If conscious wash the mouth with water, if unconscious show this safety data sheet to the doctor in attendance. Keep patient warm and at rest. Do not induce vomiting.

In case of skin contact: If on clothes, remove them immediately. Remove the product from skin as it cause severe burns on it. Wash off immediately with soap and plenty of water or a good cutaneous cleaner. Do not use solvents or thinners.

In case of eye contact: Rinse immediately with plenty of water, also under the eyelids, for some minutes. Remove contact lents, if worn. Rinse immediately for at list 15 minutes with plenty of water. If eye irritation persists, consult a specialist.

First aid service:

Ensure that eyewash stations and safety showers are close to the workstation location.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: Prolonged exposure to high concentrations can cause discomfort and ulceration of the nasal cavities.

Ingestion: Ingestion of the mixture can cause pain. The burning sensation extends from the pit of stomach throughout the esophagus. Vomiting is often a slimy mucus, where later can be found some blood and scraps of tissue.

Skin contact: There is not necessarily an immediate sensation of irritation or pain. Primary irritation: dermatitis. Possible small burns with temporary hair loss. Deterioration of keratinous material. Intracellular edema. Severe burns, corrosion of the tissue, and deep ulcerations.

Eye contact: The mixture is irritating for the eyes. Contact with the eyes causes desquamation of the conjunctiva and corneal epithelium, corneal opacity, marked edema, ulceration; severe eye burns.

4.3 Indication of any immediate medical attention and special treatment needed

Inhalation: call a physician Ingestion: call a physician Skin Contact: call a physician

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182 www.cecchi.it info@cecchi.it



NAUTILUS FIBERGLASS CLEANER - SAFETY DATA SHEET - november 2020 - n° batch 331-B0 - rev.1/19

Eye Contact: call a physician

First aid service:

Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable Extinguishing media: The mixture is non-flammable. Fire-fighting measures should be taken to the materials that are nearby. Recommended: alcohol-resistant foam, CO2, powders, water spray. Unsuitable Extinguishing media: Avoid contact of the product with water as it produces a high exothermic

reaction.

Extinguishing protection media: The presence of the product does not require the adoption of special precautions.

5.2 Special hazards arising from the substance or mixture

Specific hazards: None (Incombustible)

Specific hazards during firefighting: Avoid breathing products of combustion.

5.3 Advice for firefighters

Equipment in case of fire: Hardhat with visor, fireproof clothing (fireproof jacket and trousers with bands around arms, legs and waist), work gloves (fireproof, cut proof and dielectric), self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove any sources of ignition and ventilate the area. Avoid breathing vapor or mist.

6.2 Environmental precautions

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations. Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Cleaned with the use of water only after collecting the spilled product. Avoid the use of solvents. In case of contamination of lakes, rivers or sewage, inform appropriate authorities in accordance with applicable law.

6.4 Reference to other sections

see sections 7, 8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid creating dust and use in the presence of acids and water. Do not handle the substance in the presence of incompatible substances or mixtures. When handling do not release the substance in the environment: avoid spillage and minimize the dispersion in the discharge.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Keep in a dry, cool and well-ventilated place. Avoid any spillage and keep containers tightly closed. Avoid contact with acid or water, to prevent a high exothermic reaction.

Suitable Packaging: cardboard and polyethylene. Plastic fabric and polyethylene.

Unsuitable Packaging: common steel.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 National limits

Exposure limit values: for the packaged product, not defined by Italian legislation.

For substances that make up the solid mixtures contained within the product:

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it



NAUTILUS FIBERGLASS CLEANER - SAFETY DATA SHEET - november 2020 - n° batch 331-B0 - rev.1/19

| Name of the substance | : Dihydrated Oxalic | Acid | | | |
|------------------------|-----------------------|-----------------|--------------------------|-----------|-------------|
| CAS no: | 6153-56-6 | CE r | CE no: 205-634-3 | | |
| Limit valu | ıe - 8 h | Limit value – | short t | term | |
| ppm | mg/m³ | ppm | | mg/m³ | Legal Basis |
| - | 1 | - | | - | |
| Name of the substance: | Potassium Oxide | | • | | |
| CAS no: | 12136-45-7 | CE r | no: | 235-227-6 | |
| Limit valu | ıe - 8 h | Limit value – s | short t | term | |
| ppm | mg/m³ | ppm | | mg/m³ | Legal Basis |
| - | - | - | | - | |
| Name of the substance: | Sodium lauril solfate |) | • | | |
| CAS no: | 85586-07-8 | CE r | CE no: 287-809-4 | | |
| Limit valu | ıe - 8 h | Limit value – s | Limit value – short term | | |
| ppm | mg/m³ | ppm | | mg/m³ | Legal Basis |
| - | - | - | | - | |
| Name of the substance | : Calcium Oxide | | 1 | | 1 |
| CAS no: | 1305-78-8 | CE r | 10: | 215-138-9 | |
| Limit valu | ıe - 8 h | Limit value – s | Limit value – short term | | |
| ppm | mg/m³ | ppm | | mg/m³ | Legal Basis |
| - | - | - | | - | |

| Name of the | e substance: C | ihydrated | Oxalic Ac | id | | | | |
|---|-----------------------|-----------------------|----------------------|--------------------------------|------------------------------|------------------------|----------------------|-------------------------|
| CAS no: 6153-56-6 | | | (| CE no: | E no: 205-634-3 | | | |
| DNEL | | | | | | | | |
| | | Woi | rkers | | | Ро | pulation | |
| Exposure way | Acute local effect | Acute systemic effect | Chronic local effect | Chronic systemic effect | Acute local effect | Acute systemic effect | Chronic local effect | Chronic systemic effect |
| Oral | | | Not required | | | Not av | /ailable | 0,315 mg/kg bw/day |
| Inhalation | No | identified danger | | 3,11 mg/m ³ | | No identified dang | er | 0,466 mg/m ³ |
| Dermal | No | identified danger | | 0,882 mg/kg bw/day | | No identified danger 0 | | 0,315 mg/kg bw/day |
| PNEC | | | | | | | | • |
| Environmental protection objectives | | | | | PNEC | | | |
| Fresh water | | | | | 0,16 mg/L | | | |
| Fresh water sedin | nents | | | | insufficient data | | | |
| Sea water | | | | | 0,016 mg/L | | | |
| Marini sediments | | | | | insufficient data | | | |
| Food chain | | | | | no bioaccumulation potential | | | |
| Micro-organisms in wastewater treatment systems | | | | 1550 mg/L | | | | |
| Soil (agricultural) | | | | a risk to soil is not expected | | | | |
| Air | | | | | no identified danger | | | |

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

NAUTILUS FIBERGLASS CLEANER - SAFETY DATA SHEET - november 2020 - nº batch 331-B0 - rev.1/19

www.cecchi.it info@cecchi.it



Population

Not available

Exposure way

Acute local effect

Acute systemic effect

No identified danger



| (| CAS no: | 12136-45-7 | | | CE no: | 235-227-6 | | | |
|---|---|-------------------------|-------------------------|------------------------------|----------------------------|----------------------|--------------------|----------------------|--|
| DNEL | | | | | | | | | |
| | Workers | | | | Population | | | | |
| Exposuro way | Acute local effect | Acute systemic effect | | Acute local effect | Acute systemic effect | | Acute local effect | Acuto sustamic affai | |
| Exposure way Oral | Acule local effect | Acute systemic effect | Exposure way | Acute local effect | Acute systemic effect | Exposure way | | Acute systemic effe | |
| Olai | | | Not required | | | NOI av | ailable | No identified danger | |
| Inhalation | 15,83 mg/m ³ | 15,83 mg/m ³ | 15,83 mg/m ³ | 15,83 mg/m ³ | | | | | |
| Dermal | 1124 mg/kg bw/day | 200 mg/kg bw/day | 1124 mg/kg bw/day | 9,1 mg/kg bw/day | | Not available | | No identified danger | |
| PNEC | | | | | | | | | |
| E | Environmen | tal protectio | n objective | es | | PN | NEC | | |
| Fresh water | | | | | 9,176 mg/L | | | | |
| Fresh water sedin | nents | | | | 17,75 mg/kg sedim | ent | | | |
| Sea water | iento | | | | 0,918 mg/L | CIII | | | |
| Marini sediments | | | | | 1,78 mg/kg sedime | nt | | | |
| Food chain | | | | | no bioaccumulation | | | | |
| | in wastewater treati | ment systems | | | | poterniai | | | |
| Soil (agricultural) | | | | | 2,2 mg/L 85 mg/kg suolo | | | | |
| Air | | | | | no identified danger | | | | |
| DNEL | | 85586-07-8 | | | CE no: | 287-809-4 | | | |
| | | Worl | kers | | Population | | | | |
| Exposure way | Acute local effect | Acute systemic effect | Exposure way | Acute local effect | Acute systemic effect | Exposure way | Acute local effect | Acute systemic effe | |
| Oral | | | Not required | | | Not av | railable | No identified danger | |
| Inhalation | | No identified danger | | 285 mg/m ³ | No identified danger | | | 85 mg/m ³ | |
| Dermal | medio rischio | No identified danger | Medium risk | 4060 mg/kg bw/day | Medium risk | No identified danger | Medium risk | 2440 mg/kg bw/day | |
| PNEC | | | | | | | | | |
| | Environm | ental prote | ction obje | ctives | | PI | NEC | | |
| Fresh water | | | | | 0,131 mg/L | | | | |
| Fresh water sedin | nents | | | | 4,61 mg/kg sediment | | | | |
| Sea water | | | | 0,013 mg/L | | | | | |
| Marini sediments | | | | 0,461 mg/kg sediment | | | | | |
| Food chain | | | | no bioaccumulation potential | | | | | |
| i ood cham | Micro-organisms in wastewater treatment systems | | | | 1,35 mg/L | | | | |
| | Soil (agricultural) | | | | 0,846 mg/kg suolo | | | | |
| Micro-organisms | | | | | | no identified danger | | | |
| Micro-organisms Soil (agricultural) | | | | | no identified dange | r | | | |
| | | | | | no identified dange | r | | | |
| Micro-organisms Soil (agricultural) Air | | alcium oxide | | | no identified dange | r | | | |

Acute local effect

Acute systemic effect

Workers

Not required

Oral

DNEL

Exposure way

Acute local effect

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it





| Inhalation | 4 mg/m³ | No identified danger | 1 mg/m³ | No identified danger | 4 mg/m³ | No identified danger | 1 mg/m³ | No identified danger | |
|---|-----------------------------|-------------------------|------------|-------------------------|----------------------|------------------------------|----------|----------------------|--|
| Dermal | Dermal No identified danger | | | | Low risk | No identified danger | Low risk | No identified danger | |
| PNEC | | | | | | | | | |
| | Environm | ental prote | ction obje | ctives | | PN | IEC | | |
| Fresh water | | | | | No data available | | | | |
| Fresh water sedi | ments | | | | No data available | | | | |
| Sea water | | | | | No data available | | | | |
| Marini sediments | Marini sediments | | | | | mg/kg sediment dw | | | |
| Food chain | Food chain | | | | | no bioaccumulation potential | | | |
| Micro-organisms in wastewater treatment systems | | | | | 18 mg/L | | | | |
| Soil (agricultural | Soil (agricultural) | | | | No data available | | | | |
| Air | Air | | | | No identified danger | | | | |

8.1.1 Recommended monitoring procedures

Refer to specific standards,

- UNI EN 1540: 2012 standard. Exposure in the work environment Terminology
- UNI EN 14042: 2005 standard, Workplace atmospheres Guide to the application and use of procedures for the assessment of exposure to chemical and biological agents.
- UNI EN 13936: 2014, Exposure in working environments Procedures for the measurement of a chemical agent present as a mixture of airborne particles and steam - Requirements and test methods,

8.2 Exposure controls

Engineering measures

Effective exhaust ventilation system effective ventilation in all processing areas.

If none, use adequate protection media.

Hands Protection:

Use protective gloves nitrile rubber or polyethylene.

For right choice of glove materials, focus on chemical resistance and time of penetration, seek suppliers of chemical resistant gloves. Apply the Directive 89/89/EEC and the standard (EN 374). Barrier fat creams may protect exposed areas of the skin but should not be applied after exposure.

Eye protection:

Use dust resistant glasses fully adjustable, in case of the presence of dust.

Respiratory protection:

If workers are exposed to concentrations above the exposure limit, use appropriate, certified respirators. In the case of application of product by spray, only with very low pressure, preventing atomization is indicated the use of masks with carbon filters for dust and solvents. (Such as filter combination A2-P2-EN 141). In confined spaces use compressed air or fresh air respiratory equipment. In close spaces use compressed air or breathing apparatus.

Skin protection:

It is suffcient to wear normal work clothes.

Hygienical suggestion: Do not eat and / or drink in the workplace.

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

NAUTILUS FIBERGLASS CLEANER - SAFETY DATA SHEET - november 2020 - n° batch 331-B0 - rev.1/19



SECTION 9: Physical and chemical properties

Appearance: solid in grain form

Color: white/gray
Odor: odorless
Odor Threshold: not determined

pH: 6-7 (water solution – 20C°)

Melting point/freezing point:

Boiling point/boiling range:

Flash point:

Evaporation rate:

Flammability (solid, gas):

not determined not determined not determined not determined not determined not flammable

Upper/Lower explosion and flammability limit: not determined

Vapor pressure: not determined
Relative vapor density: not determined
Density: 0.5 – 1.2 kg/dm3
Solubility(ies): not determined

Hydro solubility: mixture with lower solubility in water

Partition coefficient: noctanol/water: not determined
Auto-ignition temperature: not determined
Thermal decomposition: not determined
Viscosity: not determined
Explosive properties: not explosive mixture

Oxidizing properties: not oxidant or combustion mixture

9.2: Other information

Information not available

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture is not reactive under normal conditions of use (see section 7).

10.2 Chemical stability

The mixture is stable under normal conditions of use (see section 7).

10.3 Possibility of hazardous reaction

The mixture reacts with oxidizing and reducing agents in general.

10.4 Conditions to Avoid

Exposure to moisture, keep away from oxidizing and reducing agents in general. See section 10.1. and 10.3.

10.5 Incompatible material

Contact with oxidizing and reducing agents in general.

10.6 Hazardous decomposition products

CO, CO2, formic acid.

SECTION 11: Toxicological information

Since there are no specific data on the mixture regarding the interactions between the substances that compose it, the health effects of each substance are listed separately.

| Name of the substance/mix | a) acute toxicity |
|---------------------------|---|
| Dehydrated Oxalic Acid | oral, rat (Sprague-Dawley, male/female), LD50 9,5 mg/kg bw inhalation, unnecessary studies dermal, rabbit (-, -), LD50 20000 mg/kg bw |
| Potassium Oxide | oral, rat (Sprague-Dawley, male/female), LD50 > 2000 mg/kg bw inhalation, - dermal, ratto (Sprague-Dawley, male/female), LD50 > 5000 mg/kg bw |
| Sodium lauril solfate | oral, rat (Wistar, male/female), LD50 > 500 - < 2000 mg/kg bw inhalation, - dermal, (Wistar, male/female), LD 2000 mg/kg bw |

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it





| Calcium Oxide | oral, rat (Wistar, female), LD50 > 2000 mg/kg bw inhalation, rat (Wistar, male/female), LC50 > 6,04 mg/L aria dermal, rabbit (New Zealand White, male/female), LD50 > 2500 mg/kg bw |
|---------------------------|--|
| Name of the substance/mix | b) skin corrosion/skin irritation |
| Dihydrated Oxalic Acid | Not irritating |
| Potassium Oxide | corrosive |
| Sodium lauril solfate | Irritating |
| Calcium Oxide | Irritanting, cat. 2 |
| Name of the substance/mix | c) severe eye damage/eye irritation |
| Dehydrated Oxalic Acid | Irritanting, cat. 1 |
| Potassium Oxide | Corrosive |
| Sodium lauril solfate | Irritating |
| Calcium Oxide | Irritanting, cat. 1 |
| | |
| Name of the substance/mix | d) respiratory or skin sensitization |
| Dehydrated Oxalic Acid | Respiratory: data not available Cutaneous: non-sensitizing |
| Potassium Oxide | Respiratory: data not available Cutaneous: non-sensitizing Respiratory: data not available |
| Sodium lauril solfate | Cutaneous: non-sensitizing |
| | Respiratory: data not available |
| Calcium Oxide | Cutaneous: non-sensitizing |
| Name of the | |
| substance/mix | e) toxicity in repeated doses |
| Dehydrated Oxalic Acid | Oral, rat (Wistar, male/female), NOAEL >= 1000 mg/kg bw/day Inhalation, data not available Dermal, data not available |
| Potassium Oxide | Oral, rat (Fisher 344/Slc, male), NOAEL1820 mg/kg bw/day Inhalation, data not available Dermal, data not available |
| Sodium lauril solfate | Oral, rat (Colworth Wistar-derived, male/female), LOAEL 1,13 % in diet Inhalation, data not available Dermal, rat (C57BL, male/female), NOAEL 10% |
| Calcium Oxide | Oral, pig (Constituent, -), NOAEL not determinable Inhalation, rat (Wistar, male/female), NOAEC, 0,017 mg/L air Dermial, studiy not necessary |
| Name of the substance/mix | f) germ cell mutagenicity |
| Dehydrated Oxalic Acid | In vitro, not mutagenic according to OECD Guideline 476 (In Vitro Mammalian Cell Gene Mutation Test) In vivo, negative |
| Potassium Oxide | In vitro: negative according to QSAR Toolbox Version 3.3.5.17 In vivo: negative according to QSAR Toolbox Version 3.3.5.17 |
| Sodium lauril solfate | In vitro, negative according to OECD Guideline 471 (Bacterial Reverse Mutation Assay) In vivo, negative according to OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test) |
| Calcium Oxide | In vitro, negative according to OECD Guideline 471 (Bacterial Reverse Mutation Assay) In vivo, no available data |
| Name of the substance/mix | g) carcinogenity |
| Dehydrated Oxalic Acid | not available data |
| Potassium Oxide | It does not meet the criteria for classification as a carcinogen for human health |
| Sodium lauril solfate | Not carcinogenic |
| Calcium Oxide | Not carcinogenic |

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it





| Name of the substance/mix | h) toxicity for reproduction |
|---------------------------|--|
| Dehydrated Oxalic Acid | Rar (CD1, male/female), NOAEL, <= 0,1 % |
| Potassium Oxide | Fish (-, -), Log RBA (Relative Binding Affinities), < -3 |
| Sodium lauril solfate | study not necessary |
| Calcium Oxide | Rat (Swisse, femmine), LOAEC 2% in diet |

| Name of the substance/mix | i) specific target organ toxicity (STOT) - single exposure |
|---------------------------|--|
| Dehydrated Oxalic Acid | not available data |
| Potassium Oxide | not available data |
| Sodium lauril solfate | not available data |
| Calcium Oxide | not available data |

| Name of the substance/mix | I) specific target organ toxicity (STOT) – repeated exposure |
|---------------------------|--|
| Dehydrated Oxalic Acid | Dati non disponibili |
| Potassium Oxide | Dati non disponibili |
| Sodium lauril solfate | Dati non disponibili |
| Calcium Oxide | Dati non disponibili |

SECTION 12: Ecological information

Since there are no specific data on the mixture regarding the interactions between the substances that compose it, the health effects of each substance are listed separately.

| Name of the substance/mix | 12.1 Toxicity |
|---------------------------|--|
| | Toxicity (short term) acute, fish (Leuciscus idus melanotus), LC0 48h, 250 mg/L |
| Dehydrated Oxalic Acid | Toxicity (long term) chronic, not necessary study |
| | Toxicity (short term) acute, crustacean (Daphnia magna), EC50 48h, 162,2 mg/L |
| | Toxicity (long term) chronic, not necessary study |
| | Toxicity algae/aquatic plants (Pseudokirchneriella subcapitata), EC10 24h, 12,61 mg/L |
| | Toxicity (short term) acute, fish (Labeo rohita), LC50 96h, 917,6 mg/L |
| Potassium Oxide | Toxicity (long term) chronic, fish (352 Heteropneustes fossilis), LOEC 40d, 2000 mg/L Toxicity |
| | (short term) acute, crustacean (Daphnid species), LC50 48h, 6675 mg/L |
| | Toxicity (long term) chronic, crustacean (Daphnia magna), EC50 21d, 68 mg/L |
| | Toxicity algae/aquatic plants (Nitscheria linearis), EC50 120h, 1337 mg/L |
| | Toxicity (short term) acute, fish (Oncorhynchus mykiss), LC50 96h, 3,6 mg/L |
| Sodium lauril solfate | Toxicity (long term) chronic, fish (Pimephales promelas), NOEC 42d, >= 1357 mg/L Toxicity |
| | (short term) acute, crustacean (Daphnia magna), EC50 48h, 4,7 mg/L |
| | Toxicity (long term) chronic, crustacean (Brachionus calyciflorus), EC10 2d, 0,24 mg/L |
| | Toxicity algae/aquatic plants (Desmodesmus subspicatus), EC50 72h, > 20 mg/L |
| | Toxicity (short term) acute, fish (Oncorhynchus mykiss), LC50 96h, 50,6 mg/L |
| Calcium Oxide | Toxicity (long term) chronic, fish (Oncorhynchus mykiss), no effect on survival. |
| | Toxicity (short term) acute, crus tacean (Daphnia magna), EC100 48h, 75 mg/L |
| | Toxicity (long term) chronic, crustacean (Sand shrimp), LC50 14d, 53,1 mg/L |
| | Toxicity algae/aquatic plants (Pseudokirchneriella subcapitata), EC50 72h, 79,22 mg/L |

| Name of the substance/mix | 12.2 Persistence and degradability |
|---------------------------|--|
| Dehydrated Oxalic Acid | Abiotic degradation: no data available Physical and photochemical elimination: Air, water and soil photo-transformation endpoint are not required by REACH rules. Biodegradation in water: no data available |
| Potassium Oxide | Abiotic degradation: Biodegradation in water: Biodegradation in water: no data available |
| Sodium lauril solfate | Abiotic degradation: no data available Physical and photochemical elimination: Air, water and soil photo-transformation endpoint are not required by REACH rules. Biodegradation in water: no data available |

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it





| Calcium Oxide | Abiotic degradation: no data available |
|------------------------|---|
| | Physical and photochemical elimination: Air, water and soil photo-transformation endpoint are |
| | not required by REACH rules. Biodegradation in water: scientifically not necessary study |
| | Biodegradation in water. Scientifically not necessary study |
| Name of the | |
| substance/mix | 12.3 Bioaccumulative potential |
| Substance/mix | Detition of the least of the Man A. |
| Dobudrated Ovalia Acid | Partition coefficient n-ottanolo/acqua (log Kow), -1.7 Bioconcentration factor(BCF): - |
| Dehydrated Oxalic Acid | Partition coefficient n-ottanolo/acqua (log Kow), -5.08 |
| Potassium Oxide | Bioconcentration factor (BCF): 3.16 L/kg wet-wt |
| | Partition coefficient n-ottanolo/acqua (log Kow), <= -2.42 |
| Sodium lauril solfate | Bioconcentration factor (BCF): - |
| | Partition coefficient n-ottanolo/acqua (log Kow), - |
| Calcium Oxide | Bioconcentration factor (BSAF): - |
| N 641 | |
| Name of the | 12.4 Soil mobility |
| substance/mix | - |
| Dehydrated Oxalic Acid | Distribution by known or estimated environmental sector: - |
| | Superficial tension: 70.1 mN/m a 20°C |
| | Adsorption/desorption: Koc a 20 °C: 6,31 |
| Potassium Oxide | Distribution by known or estimated environmental sector: - Superficial tension: - |
| | Adsorption/desorption: Koc a 20°C: 13,22 |
| Sodium lauril solfate | Distribution by known or estimated environmental sector: - |
| | Superficial tension: 29.9 mN/m a 23°C |
| | Adsorprion/desorption: Koc a 25°C: 316 - 446 |
| Calcium Oxide | Distribution by known or estimated environmental sector: - |
| | Superficial tension: - |
| | Adsorprion/desorption: Kd = 11,3 L/kgper Ca ²⁺ |
| Name of the | |
| substance/mix | 12.5 PBT and vPvB evaluation results |
| Dehydrated Oxalic Acid | The substance is readily biodegradable |
| Potassium Oxide | The criteria of Annex XIII for the identification of persistent, bioaccumulative and toxic substances |
| | and very persistent and very bioaccumulative substances do not apply to inorganic substances |
| Sodium lauril solfate | The substance does not meet the requirements for classification as PBT or vPvB |
| Calcium Oxide | The criteria of Annex XIII for the identification of persistent, bioaccumulative and toxic substances |
| | and very persistent and very bioaccumulative substances do not apply to inorganic substances. Not |
| | PBT or vPvB |
| Name of the | |
| substance/mix | 12.6 Other affect avverse |
| Dehydrated Oxalic Acid | - |
| Potassium Oxide | - |
| Sodium lauril solfate | - |

SECTION 13: Disposal considerations

13.1 Waste treatment method

Calcium Oxide

The product should be used with caution to avoid environmental contamination and should not be abandoned. It must be collected for disposal as prescribed in § 6 above and then stored in a guarded place as indicated in § 7. Destroy by incineration only in authorized sites for the disposal of explosive material. Do not mix with other rejects of incompatible materials (see previous § 10).

The user is responsible for providing unused items (expired or damaged), empty uncleaned containers recovered after use and packaging in compliance with all local and national laws and regulations regarding the deriving dangerous substances and mere hazardous transport regulation.

13.1.1 Disposal of the contaminated container

Treat it as indicated in the previous § 13.1.

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182 www.cecchi.it info@cecchi.it



NAUTILUS FIBERGLASS CLEANER - SAFETY DATA SHEET - november 2020 - n° batch 331-B0 - rev.1/19

13.1.2 Waste code according to the European Catalog of Waste

EER code 20.01.29 * detergen4, containing4 dangerous substances

EER code 15.01.10 * packaging containing4 residues of dangerous substances or contaminates4 from these substances, for the untied container

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport ADR - RID – ADN - IMO/IMDG - IATA/ICAO regulations.

14.1 UN number

14.2 UN shipping name

-

14.3 hazard class connected to transport packing group

-

14.4 environmental hazards

-

14.5 special precautions for users

_

14.6 transport in bulk according to annex ii of maripol 73/78 and the code ibc

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation EC 1907/2006 (REACH) and subsequent updates and modifications;

Regulation EC 1272/2008 (CLP) and subsequent amendments and modifications;

Regulation EC 453/2010.

Pre-register REACH: Substance included in the list of pre-registered substances, published by the European Chemicals Agency '(ECHA), in compliance with Article 28 of Regulation EC 1907/2006 (REACH) and subsequent updates and modifications More information: http://apps.echa.europa.eu/preregistered/pre-registered-sub.aspx

SVHC substances subjected to authorization, included in Annex XIV of Regulation EC 1907/2006 (REACH) and subsequent updates and changes: None.

SVHC candidate substances to be included in Annex XIV of Regulation EC 1907/2006 (REACH) and subsequent updates and changes: None.

15.2 Chemical Safety Assessment

The supplier has not made and provided a chemical safety assessment.

SECTION 16: Other information

16.1 Abbreviation and Acronym

- · LCS, fasi del ciclo di vita (Life Cycle Stages)
- PC, prodotto chimico, (Chemical Product Category)
- STOT RE 1, tossicità. specifica per organi bersaglio, esposizione ripetuta, categoria 1
- ECHA, Agenzia Europea per le Sostanze Chimiche (European Chemical Agency)
- REACH, Registrazione, la Valutazione, l'Autorizzazione e la Restrizione delle sostanze chimiche (Regiatration, Evaluation,

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it





Authorization and restriction of Chemicals)

- CLP, Classificazione, all'Etichettatura e all'Imballaggio delle sostanze e delle miscele (Classification, Labeling ed Packaging)
- SVHC, sostanze estremamente preoccupanti (Substances of Very High Concern)
- sostanze PBT, sostanze sostanze persistenti, bioaccumulabili e tossiche (persistent, bioaccumulative and toxic)
- sostanze vPvB, sostanze molto persistenti e molto bioaccumulabili (very Persistent and very Bioaccumulative)
- SCBA, respiratore autonomo (Self-Contained Breathing Apparatus)
- DNEL, il livello derivato senza effetto (Derived No Effect Level)
- PNEC, prevedibile concentrazione priva di effetti (Predicted No Effect Concentration)
- TLV-TWA. Valore Limite di Soglia Media Pesatà nel Tempo (Threshold Limit Valué Time Weighted Average)
- LD50, dose letale 50 (Lethal Dose 50), dose di una sostanza, somministrata in una volta sola, in grado di uccidere il 50% di una popolazione campione di cavie
- LC50, concentrazione letale 50 (Lethal Concentration 50), concentrazione di una sostanza, somministrata in una volta sola, in grado di uccidere il 50% di una popolazione campione di cavie
- IC50, concentrazione inibente 50 (Inhibitory Concentration 50), concentrazione di un inibitore enzimatico necessaria per inibire il 50% del bersaglio in esame
- LL50, carico letale 50, (Lethal Load 50), carico Letale per il 50% degli individui
- EC10, concentrazione tale da produrre il 10% dell'effetto massimale
- EC50, concentrazione tale da produrre il 50% dell'effetto massimale
- EL50, carico di effetto 50, (Effective Loading 50), carico di effetto sul 50% degli individui
- NOEL, dose senza effetto osservabile (No Observed Effect Level)
- NOAEL, dose senza effetto avverso osservabile (No Observed Adverse Effect Level)
- NOEC, concentrazione senza effetto osservabile (No Observed Effect Concentration)
- NOAEC, concentrazione senza effeVo avverso osservabile (No Observed Adverse Effect Concentration)
- LOAEL, dose minima di sostanza nociva somministrabile giornalmente con la comparsa di aumenti statisticamente o biologicamente significativi nella frequenza o gravit. di effetti avversi rispetto ad un gruppo di controllo (Lowest Observed Adverse Effect Level)
- COD, domanda chimica di ossigeno (Chemical Oxigen Demand)
- BOD, domanda biologica di ossigeno (Biological Oxigen Demand)
- TOC, carbonio organico totale (Total Organic Carbon)
- ADR, accordo europeo relativo ai trasporti internazionali di merci pericolose su strada (European Agreement concerning

the International Carriage of Dangerous Goods by Road)

• RID, regolamentazione tecnica tra le reU ferroviarie per il trasporto di merci pericolose (R.glement concernant le trasport

International ferroviarie des merchandises Dangereuses)

- IMO. Organizzazione marittima internazionale (International MariUme Organization)
- IMDG Code, norma internazionale per il trasporto marittimo delle merci pericolose (International Maritime Dangerous

Goods Code)

- IATA, organizzazione internazionale di compagnie aeree (International Air Transport Association)
- ICAO, Organizzazione internazionale dell'aviazione civile (International Civil Aviation Organization)
- LOW, ELENCO DEI RIFIUTI (LIST OF WASTE)

16.2 Main regular source

- Direttiva 67/548/CEE
- Direttiva 76/769/CEE
- Direttiva 1999/45/CE
- Direttiva 2001/58/CE
- Decisione 2001/118/CE
- Ministero della Salute Decreto 14 Giugno 2002
- Ministero della Salute Decreto 7 Settembre 2002
- Decreto Legislativo 14 Marzo 2003, n. 65
- D.Lgs. 123/2015

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

NAUTILUS FIBERGLASS CLEANER - SAFETY DATA SHEET - november 2020 - nº batch 331-B0 - rev.1/19



- Regolamento (CE) No 1907/2006 REACH
- Regolamento (UE) 453/2010
- Regolamento (UE) 2015/830 del 28 Maggio 2015
- Regolamento (CE) n.1272/2008 CLP
- Decreto Legislativo 9 Aprile 2008, n. 81
- ADR2017
- RID2017
- IMDG Code 2016
- IATA DANGEROUS GOODS REGULATIONS ED. 58

16.3 bibliographic sources and data sources

- ECHA Database, http://echa.europa.eu/search-for-chemicals
- Banca dati dell'ECHA sulle sostanze registrate, hVp://apps.echa.europa.eu/registered/registered-sub.aspx
- Inventario ECHA delle classificazioni e delle eUcheVature, hVp://echa.europa.eu/clp/c l inventory en.asp
- GESTIS, http://www.dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Stoffdatenbank/index-2.jsp
- eChemPortal, http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- Orientamenti sulla compilazione delle schede di daU di sicurezza, versione 3.1, novembre 2015,

hVp://echa.europa.eu/documents/10162/13643/sds it.pdf

- Orientamenti introduttivi al regolamento CLP, versione 2.1, agosto 2015, hVp://echa.europa.eu/documents/10162/13562/clp_introductory_it.pdf
- European Agreement concerning the International Carriage of Dangerous Goods by Road, ADR applicable as from 1

January 2017, hVp://www.unece.org/trans/danger/publi/adr/adr2017/17contentse0.html

• OrientamenU sugli obblighi di informazione e sulla valutazione della sicurezza chimica, Capitolo R.12. Descrizione degli usi,

Versione 3.0 Dicembre 2015,

hVp://echa.europa.eu/documents/10162/13632/informaUon requirements r12 it.pdf

• ALLEGATO IV AL DOCUMENTO DELLA COMMISSIONE CONSULTIVA PERMANENTE PER LA SALUTE E SICUREZZA SUL LAVORO SULLA PROBLEMATICA

"ARTICOLI PIROTECNICI. IMPIANTI DI PRODUZIONE E DEPOSITO"

16.4. CLASSIFICAZIONE E PROCEDURA UTILIZZATA PER DERIVARLA A NORMA DEL REGOLAMENTO (CE) 1272/2008 [CLP]

• LA CLASSIFICAZIONE A NORMÀ DEL REGOLAMENTO (CE) 1272/2008 [CLP] . SEGUITA SECONDO LE INDICAZIONI FORNITE DAL REGOLAMENTO.

16.5. INDICAZIONI DI PERICOLO H E CONSIGLI DI PRUDENZA P PERTINENTI (NUMERO E TESTO COMPLETO)

□ Description of hazard presented in Section 2.

H302 Toxic if swallowed

H318 Causes serious eye damage

H413 May be harmful to aquatic life with long lasting effects

Description of safety phrases shown in section 2.

P264 Wash hands thoroughly after handling

P280 Wear protective gloves. Protect the eyes.

P301/312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305/P351/P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P310 Immediately call a POISON CENTER or get medical advice in case of exposure.

P501 Dispose of contents/container in accordance with local /regional/ national/international regulation.

Description of hazard presented in Section 3.

H302 Toxic if swallowed

H312 Harmful in contact with skin

H315 Causes skin irritation

H318 Causes serious eye damage

H332 Harmful if inhaled

H335 May cause respiratory irritation

H413 May be harmful to aquatic life with long lasting effects

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182 www.cecchi.it info@cecchi.it



NAUTILUS FIBERGLASS CLEANER - SAFETY DATA SHEET - november 2020 - nº batch 331-B0 - rev.1/19

Notice to the reader

This sheet completes the technical information of use, but does not replace it.

The product must be used exclusively for the uses for which it was designed.

This document does not in any case exempt the user from knowing and applying all the regulatory provisions concerning his activity; the recipient must respect any other obligations incumbent upon him by reason of other sources

regulations other than those mentioned and equally concerning the holding and handling of products for which it is solely his responsibility.

It will be the responsibility of the professional user to apply the precautions related to the use of the product. The professional user will have full responsibility for:

- to elaborate the security measures concerning all cases of implementation of the product, taking into account mainly the data in this sheet;
- disseminate, to all those who manipulate the product, the appropriate safety data and the warning concerning the risks mentioned in all documentation related to the use of the product.

The set of regulations mentioned above is simply intended to help the recipient to comply with the obligations that he must observe during the use of the dangerous product.

Source of data used: Literature and / or investigative reports are available through the manufacturer.