Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182 www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17



# Safety Data Sheet

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name 10 3 component A UFI: 2J40-S009-F008-QQD8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Casting Resin

Substance/Mixture

# 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

Cecchi Gustavo & C. srl - Via M. Coppino 253,

55049 Viareggio (LU) ITALY www.cecchi.it - info@cecchi.it

## 1.4 Emergency telephone number:

+39 0584/383694 - info@cecchi.it

From monday to friday office hours 8:30 – 12:30, 14:00 – 18:30

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1 H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Reproductive toxicity, Category 1A H360: May damage fertility or the unborn child.

Chronic aquatic toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Danger

Hazard statements H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17

H360 May damage fertility or the unborn child. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before use.
P280 Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Takeoff

immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh

air and keep comfortable for breathing.

Immediately call a POISON

CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/doctor.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

Hazardous components which must be listed on the label:

reaction product: bisphenol-A-(epichlorhydrin); epoxyresin (number average molecular weight =< 700)

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with (chloromethyl)oxirane

Bisphenol-F-epichlorohydrin resin, MM=<700

oxirane, mono[(C12-14-alkyloxy)methyl]derivs

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Modified epoxy resin

#### **Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight	25068-38-6 01-2119456619-26	Eye Irrit.2; H319 Skin Irrit.2; H315 Skin Sens.1: H317	>= 50 - <= 100



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17



=< 700)		Aquatic Chronic2; H411	
1,3-Propanediol, 2-ethyl-2- (hydroxymethyl)-, polymer with (chloromethyl)oxirane	30499-70-8	Skin Corr.1; H314 Eye Dam.1; H318 Skin Sens.1; H317 Aquatic Chronic2; H411 Repr.1; H360	>= 12,5 - < 20
Bisphenol-F-epichlorohydrin resin, MM=<700	9003-36-5 01-2119454392-40	Skin Irrit.2; H315 Eye Irrit.2; H319 Skin Sens.1; H317 Aquatic Chronic2; H411	>= 10 - < 12,5
oxirane, mono[(C12-14- alkyloxy)methyl]derivs	Not Assigned 271-846-8 01-2119485289-22	Skin Irrit.2; H315 Skin Sens.1; H317	>= 3 - < 5

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Keep warm and in a quietplace.

Show this safety data sheet to the doctor in attendance. Take off all contaminated clothing immediately.

If inhaled : Move to fresh air.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Wash off immediately with soap and plenty of water.

Do NOT use solvents or thinners. If on clothes, remove clothes.

If skin irritation persists, call a physician.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

If eye irritation persists, consult a specialist. If easy to do, remove contact lens, if worn.

If swallowed : Keep at rest.

Do not induce vomiting without medical advice.

Keep respiratory tract clear.

If symptoms persist, call a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : irritant effects

Redness

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17

sensitising effects



# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Foam

Sand

Carbon dioxide (CO2)

Water mist

Unsuitable extinguishing

media

: Water spray jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: The pressure in sealed containers can increase under the

influence of heat.

Cool closed containers exposed to fire with water spray.

# 5.3 Advice for firefighters

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Further information : In the event of fire and/or explosion do not breathefumes.

> Use extinguishing measures that are appropriate to local circumstances and the surroundingenvironment.

Immediately evacuate personnel to safe areas.

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Evacuate personnel to safe areas. Use personal protective equipment.

Ensure adequate ventilation.

Inform the responsible authorities in case of gas leakage, or of

entry into waterways, soil or drains.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow uncontrolled discharge of product into the

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17

environment.

Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Pick up and transfer to properly labelled containers.

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.

Avoid inhalation, ingestion and contact with skin and eyes.

Wear personal protective equipment.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is

being used.

Advice on protection against

fire and explosion

: Keep away from open flames, hot surfaces and sources of

ignition.

Hygiene measures : Provide adequate ventilation. Wash hands and face before

breaks and immediately after handling the product.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep containers tightly closed in a dry, cool and wellventilated place. Keep in properly labelled containers.

Advice on common storage : Keep away from oxidizing agents, strongly acid or alkaline

materials and amines.

Keep product and empty container away from heat and

sources of ignition.

Keep away from food and drink.

Other data : Stable at normal ambient temperature and pressure.

7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this

substance/mixture.

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17



# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular

weight =< 700)

: End Use: Workers Exposure routes: Skin contact

Potential health effects: Acute systemic effects, Long-term

systemic effects Value: 8,33 mg/kg End Use: Workers

Exposure routes: Inhalation

Potential health effects: Acute systemic effects, Long-term local

effects

Value: 12,25 mg/m3 End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Acute systemic effects, Long-term

systemic effects Value: 3,571 mg/kg End Use: Consumers Exposure routes: Ingestion

Potential health effects: Acute systemic effects, Long-term

systemic effects Value: 0,75 mg/kg : End Use: Workers

oxirane, mono[(C12-14-alkyloxy)methyl]derivs

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 3,9 mg/kg End Use: Workers

**Exposure routes: Inhalation** 

Potential health effects: Long-term systemic effects

Value: 13,8 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular

weight =< 700)

: Fresh water Value: 0 006

Value: 0,006 mg/l

Marine water
Value: 0,0006 mg/l
Intermittent releases
Value: 0,018 mg/l
Sewage treatment plant

Value: 10 mg/l Fresh water sediment Value: 0,996 mg/kg Marine sediment Value: 0,0996 mg/kg

Soil

Value: 0,196 mg/kg : Sewage treatment plant

oxirane, mono[(C12-14-alkyloxy)methyl]derivs

Value: 10 mg/l

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17

Fresh water Value: 0,0072 mg/l Marine water Value: 0,00072 mg/l Fresh water sediment Value: 66,77 mg/kg Marine sediment Value: 6,677 mg/kg

Soil

Value: 80,12 mg/kg

## 8.2 Exposure controls

## **Engineering measures**

Effective exhaust ventilation system effective ventilation in all processing areas

## Personal protective equipment

Eye protection : Do not wear contact lenses.

Safety glasses with side-shields conforming to EN166 Ensure that eyewash stations and safety showers are close to

the workstation location.

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile

rubber category III according to EN374.

Skin and body protection : Protective suit

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. In the case of vapour formation use a respirator with an

approved filter.

Respirator with a vapour filter (EN 141)

Apply technical measures to comply with the occupational

exposure limits.

This should be achieved by a good general extraction and -if practically feasible- by the use of a local exhaust ventilation.

Protective measures : Avoid contact with skin.

Wear suitable protective equipment.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : light yellow

Odour : slight

Odour Threshold : not determined

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17

pH : not determined

Melting point/freezing point : Not applicable

Boiling point/boiling range : > 200 °C

Flash point : 150 °C

Evaporation rate : not determined

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : Not applicable

Relative vapour density : not determined

Density : 1,15 g/cm3 (25 °C)

Bulk density : not determined

Solubility(ies)

Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : Not applicable

Thermal decomposition : Method: No data available

Viscosity

Viscosity, dynamic : 1.200 - 1.800 mPa.s (25°C)

Viscosity, kinematic : not determined

Explosive properties : Not applicable

Oxidizing properties : Not applicable

9.2 Other information

Surface tension : not determined

Sublimation point : Not applicable

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17



# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Stable under recommended storage conditions.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with the following substances:

Bases

Strong oxidizing agents

Avoid amines.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : Incompatible with oxidizing agents.

#### 10.6 Hazardous decomposition products

Hazardous decomposition

products

: This product may release the following:

Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: No data available

# Components:

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular

weight =< 700)

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 420

GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

#### Skin corrosion/irritation

# **Product:**

Remarks: No data available

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17



#### **Components:**

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight =< 700):

Species: Rabbit Exposure time: 4 h

Method: OECD Test Guideline 404

Result: Skin irritation

GLP: yes

#### Serious eye damage/eye irritation

**Product:** 

Remarks: No data available

# Respiratory or skin sensitisation

**Product:** 

Remarks: No data available

#### Components:

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight =< 700):

Test Type: Mouse Local Lymph Node assay (LLNA)

Species: Mouse

Method: OECD Test Guideline 429

Result: May cause sensitisation by skin contact.

GLP: yes

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

**Product:** 

Remarks: Not applicable

STOT - repeated exposure

Repeated dose toxicity

**Product:** 

Remarks: No data available

# **Aspiration toxicity**

# **Components:**

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin(number average molecular weight =< 700):

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17

No aspiration toxicity classification

#### **Further information**

**Product:** 

Remarks: No data available

# **SECTION 12: Ecological information**

## 12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: No data available

aquatic invertebrates

Toxicity to daphnia and other : Remarks: No data available

#### **Components:**

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular

weight =< 700):

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 1,7 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to daphnia and other aquatic invertebrates

(Chronic toxicity)

: NOEC: 0,3 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

# 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

# Components:

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular

weight =< 700):

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301F

GLP: yes

# 12.3 Bioaccumulative potential\_

**Product:** 

Bioaccumulation : Remarks: No data available

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17



#### Components:

 $reaction \, product: \, bisphenol-A-(epichlorhydrin); \, epoxy \, resin \, (number \, average \, molecular) \, description \, product \, description \, (number \, average \, molecular) \, description \, descript$ 

weight =< 700):

Partition coefficient:n- : log Pow: 3,242 (25 °C)

octanol/water pH: 7,1

Method: OECD Test Guideline 117

GLP: yes

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

#### 12.6 Other adverseeffects

**Product:** 

Additional ecological

information

: Remarks: An environmental hazard cannot be excluded in the

event of unprofessional handling or disposal.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Container hazardous when empty.

Do not dispose of with domestic refuse.

Do not mix waste streams during collection.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

# **SECTION 14: Transport information**

#### 14.1 UN number

 ADR/RID/ADN
 : UN1760

 IMDG
 : UN1760

 IATA
 : UN1760

14.2 UN proper shipping name

ADR/RID/ADN : CORROSIVE LIQUID, N.O.S.

(Reaction mass of 1-(2,3-epoxypropoxy)-2,2-bis ((2,3-epoxypropoxy)methyl) butane and 1-(2,3-epoxypropoxy)-2-

((2,3-epoxypropoxy)methyl, Epoxy resin)

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17

IMDG : CORROSIVE LIQUID, N.O.S.

(Reaction mass of 1-(2,3-epoxypropoxy)-2,2-bis ((2,3-epoxypropoxy)methyl) butane and 1-(2,3-epoxypropoxy)-2-

((2,3-epoxypropoxy)methyl, Epoxy resin)

IATA : Corrosive liquid, n.o.s.

(Reaction mass of 1-(2,3-epoxypropoxy)-2,2-bis ((2,3-epoxypropoxy)methyl) butane and 1-(2,3-epoxypropoxy)-2-

((2,3-epoxypropoxy)methyl, Epoxy resin)

# 14.3 Transport hazard class(es)

ADR/RID/ADN : 8
IMDG : 8
IATA : 8

# 14.4 Packing group

# ADR/RID/ADN

Packing group : III
Classification Code : C9
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : E

**IMDG** 

Packing group : III
Labels : 8
EmS Code : F-A, S-B

**IATA** 

Packing instruction (cargo : 856

aircraft)

Packing instruction : 852

(passenger aircraft)

Packing group : III Labels : 8

## 14.5 Environmental hazards

#### ADR/RID/ADN

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

# 14.6 Special precautions for user

Not applicable

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17



# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 200 t

Quantity 2

F2

HAZARDS

**ENVIRONMENTAL** 500 t

#### 15.2 Chemical safety assessment

Not applicable

# **SECTION 16: Other information**

# **Full text of H-Statements**

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

: May cause an allergic skin reaction. H317 : Causes serious eye damage. H318 : Causes serious eye irritation. H319

H360 : May damage fertility or the unborn child. H411 : Toxic to aquatic life with long lasting effects.

# Full text of other abbreviations

Aquatic Chronic : Chronic aquatic toxicity Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

: Reproductive toxicity Repr. Skin Corr. : Skin corrosion Skin Irrit. : Skin irritation Skin Sens. : Skin sensitisation

**Further information** 

Training advice : Provide adequate information, instruction and training for

operators.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY tel. +39 0584 383694 fax +39 0584 395182

www.cecchi.it info@cecchi.it

10 3 component A - Safety Data Sheet - may 2021 - batch 142-B1 - rev.1/17 material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in thetext.

