Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22 safety data sheet - according to Regulation (EC) No. 1907/2006



C-SYSTEMS STEEL BLUE component A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Commercial name : C-SYSTEMS Steel Blue component A - BLUE (RAL 5017)

UFI : Q520-K0P5-V00E-652F

1.2 Relevant identified uses of the substance or mixture and uses advised against

Utilization of : Casting resin

substance/of the mixture

1.3 Details of the supplier of the safety data sheet

Company name: Cecchi Gustavo & C. srl - Via M. Coppino 253,

55049 Viareggio (LU) ITALY www.cecchi.it - info@cecchi.it

1.4 Emergency telephone number: +39 0584 383694 - info@cecchi.it from Monday to Friday office hours 8:30 – 12:30, 14:00 – 18:30

SECTION 2: hazard identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) N. 1272/2008) Skin

irritation, Category 2 H315: Causes skin irritation.

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22 safety data sheet - according to Regulation (EC) No. 1907/2006

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) hazard to the aquatic environment, Category 3

H412: Harmful to aquatic life with long lasting

effects.

2.2 Elements of the label

Labeling (REGULATION (EC) N. 1272/2008) Hazard

pictograms

Warning : Attention

Warning notices : H315 Causes skin irritation.

H317 May cause an allergic skin reaction. Causes

H319 serious eye irritation.

H412 Harmful to aquatic life with long lasting effects

duration.

Cautionary advice Prevention:

P261 Avoid breathing mist or vapours. Wash
P264 skin thoroughly after use. Do not
P273 disperse in the environment.

P280 Wear gloves/ eye protection/ eye protection

face.

Reaction:

P333 + P313 If skin irritation or rash occurs:

consult a doctor.

P337 + P313 If eye irritation persists, get medical attention.

Hazardous components to be indicated on the label:

2,2-bis-[4-(2,3-epoxypropoxy)phenyl]-propane

Reaction product: bisphenol-F-epichlorohydrin; epoxy resins (average molecular weight <= 700)

1,6-bis(2,3-epoxypropoxy)hexane

oxirane, mono[(C10-16-alkyloxy)methyl]-derivatives

Additional labeling



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22 safety data sheet - according to Regulation (EC) No. 1907/2006

EUH205 Contains epoxy components. May cause an allergic reaction.

2.3 Other dangers

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at concentrations of 0.1% or higher.

Ecological information: The substance/mixture does not contain any components considered to have endocrine disrupting properties within the meaning of Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain any components considered to have endocrine disrupting properties within the meaning of Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Filled Epoxy Resin

Components

Chemical Name	CAS No EC no INDEX NO Number of registration	Classification	concentration and (%w/w)
2,2-bis-[4-(2,3-epoxypropoxy)phenyl]-propane	1675-54-3 216-823-5 603-073-00-2 01-2119456619-26	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 ——————————————————————————————————	> = 12.5 - < 20
Reaction product: bisphenol- Fepiclohydrin; epoxy resins (average molecular weight <= 700)	Not assigned 500-006-8 01-2119454392-40	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>=5-<7
1,6-bis(2,3-epoxypropoxy)hexane	933999-84-9 01-2119463471-41	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412	> = 1 - < 2.5




Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22

safety data sheet - according to Regulation (EC) No. 1907/2006



For explanations of abbreviations see paragraph 16.

SECTION 4: first aid measures

4.1 Description of first aid measures General

information : Keep warm in a quiet room.

Show this safety data sheet to the attending physician.

Take off all contaminated clothing immediately.

If inhaled : Take to fresh air.

Put the person concerned in a resting position and keep him

warm.

If unconscious, place on side in stable position and consult a

doctor.

If symptoms persist, consult a doctor. In case of irregular breathing or respiratory arrest, give artificial

respiration.

In case of skin contact : Wash immediately with soap and plenty of water. Do

not use solvents or thinners.

If it gets on clothing, remove clothing. If skin

irritation persists, call a doctor.

In case of contact with

eyes

Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes.

If eye irritation persists, consult a physician. If this is easy,

remove contact lenses, if they are worn.

If ingested : Keep at rest.

Do not induce vomiting without medical advice. Keep

the respiratory tract clean.

If symptoms persist, consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : irritant effects

Redness

sensitizing effects

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : First Aid procedure should be agreed

consulting the competent occupational physician.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable

extinguishing media : Foam

Sand



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

 $\textbf{C-SYSTEMS STEEL BLUE component A BLUE-} February 2023 - batch \ n^{\circ} \ 100\text{-}B3 - rev.1/22$

safety data sheet - according to Regulation (EC) No. 1907/2006

Carbon dioxide (CO2)

Water mist

Unsuitable extinguishing

media

: Nebulised water jet

5.2 Special hazards arising from the substance or mixture

Specific dangers vs

the fire

: Pressure in hermetically sealed containers can

increase under the influence of heat.

Cool closed containers near the flames with nebulised

water.

5.3 Advice for firefighters

Special protective equipment for firefighters

: In the event of fire, wear self contained breathing apparatus

independent air supply. Use personal protective

equipment.

Further information : In case of fire and/or explosion do not breathe fumes. Use

extinguishing systems compatible with the local situation and

the surrounding environment.

Immediately evacuate personnel to safe areas. Prevent water from fire extinguishers from contaminating surface

water or groundwater.

Dispose of the contaminated water used for extinguishing and the

residue of the fire according to the regulations in force.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Individual precautions : Refer to the protective measures listed in sections 7 and 8.

Evacuate personnel to safe areas. Use personal protective equipment. Provide

adequate ventilation.

Inform the responsible authorities in the event of a gas leak,

or if it enters pipes, soil or sewers.

6.2 Environmental precautions

Environmental precautions : Do not allow uncontrolled dumping of the product

in the environment.

Prevent the material from entering drains or waterways.

Local authorities must be notified if leaks cannot be

contained.

6.3 Methods and materials for containment and cleaning up Methods

of reclamation : Dry with inert material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Contain and collect any spillage with non-combustible absorbent material (such as sand, earth, diatomaceous earth, vermiculite) and place in a



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22

safety data sheet - according to Regulation (EC) No. 1907/2006

container for disposal according to local or national

regulations (refer to section 13).

Collect and transfer to a properly labeled container.

6.4 Reference to other sections

See Section 8 for personal protective equipment.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Instructions for use: safe Ensure sufficient air exchange and/or exhaust in

workplaces.

Avoid inhalation, ingestion and contact with skin and eyes.

Wear protective clothing.

Persons with a history of skin hypersensitivity or asthma, chronic allergies or recurrent respiratory disease should not be employed in any process in which this mixture is used.

Advice on protection against fire and:

explosions

Keep away from open flames, hot surfaces and sources of

ignition.

Provide adequate ventilation. Wash hands and face before Hygiene measures

breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Warehouse and container requirements:

containers

Keep containers tightly closed in a dry, cool and wellventilated place. Keep in properly labeled containers.

Directions for the

storage together with other

products

Keep away from oxidizing agents, strong acids or bases and

amines.

Keep the product and empty containers away from heat and

ignition sources.

Keep away from food and drink.

Learn more about

storage stability

Stable under normal environmental conditions of temperature and

pressure.

7.3 Particular End Uses

: Consult the technical instructions for use of this Particular uses

substance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22

safety data sheet - according to Regulation (EC) No. 1907/2006



Name of the substance	Final use	Street of exposure	Potentials consequences on Health	Value
2,2-bis-[4-(2,3- epoxypropoxy)phenyl]- propane	Workers	Contact with skin	Acute systemic effects, Systemic effects a long term	8.33 mg/kg
	Workers	Inhalation	Acute systemic effects, Long-term local effects	12.25 mg/m3
	Consumers	Contact with skin	Acute systemic effects, Systemic effects a long term	3.571 mg/kg
	Consumers	Ingestion	Acute systemic effects, Systemic effects a long term	0.75mg/kg
1,6-bis(2,3- epoxypropoxy)hexane	Workers	Contact with skin	Systemic effects a long term	2.8mg/kg
	Workers	Inhalation	Systemic effects a long term	4.9 mg/m3
oxirane, mono[(C10- 16-alkyloxy)methyl]- derivatives	Workers	Dermal	Systemic effects a long term	4 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental compartment	Value
2,2-bis-[4-(2,3-	Fresh water	0.006 mg/l
epoxypropoxy)phenyl]-propane		
	Sea water	0.0006 mg/l
	Intermittent releases	0.018 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.996mg/kg
	Marine sediment	0.0996mg/kg
	Soil	0.196mg/kg
1,6-bis(2,3-epoxypropoxy)hexane	Sewage treatment plant	1 mg/l
	Fresh water	0.0115 mg/l
	Fresh water sediment	0.283mg/kg
	Sea water	0.00115 mg/l
	Marine sediment	0.0283mg/kg
	Soil	0.223mg/kg
oxirane, mono[(C10-16-	Fresh water	0.0072 mg/l
alkyloxy)methyl]-derivatives		
	Fresh water sediment	6.677 mg/kg
	Sewage treatment plant	1 mg/l
	Sea water	0.00072 mg/l
	Marine sediment	0.6677mg/kg
	Soil	8012mg/kg

8.2 Exposure controls

Appropriate engineering controls

Effective exhaust ventilation system effective ventilation in all process areas

Individual protection

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22

safety data sheet - according to Regulation (EC) No. 1907/2006

Eye protection : Do not wear contact lenses.

Safety goggles with side protection in compliance with

EN166 standard

Make sure that eyewash stations and emergency showers

are close to the workstation.

Hand protection

Material : Protective gloves according to EN 374.

Skin and body protection Protection suit

Respiratory protection Use respiratory protection, unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates

exposure meets recommended guidelines.

In case of vapor formation, use a respirator with an

approved filter.

The equipment must comply with EN 14387 Apply the

necessary technical measures not to exceed the

occupational exposure limit values.

This can be obtained through a good general air exchange or,

if practicable, through a local aspirator.

Avoid contact with skin. Wear suitable Protection arrangements

protective clothing.

SECTION 9: physical and chemical properties

9.1 Information on basic physical and chemical properties

physical state : liquid

Color blue

Odor light

: not determined Olfactory threshold

Melting point/freezing

point

: Not applicable

Boiling point/range: > 200 °C

Upper explosion limit: Not applicable / Upper limit

flammability

Lower explosion limit /: Not applicable Lower limit

flammability

Flash point : 100°C

Ignition temperature Not applicable



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22 safety data sheet - according to Regulation (EC) No. 1907/2006

Temperature of self-ignition

: Not applicable

Temperature of

: No data available

decomposition

pH : 4-6

Concentration: 1%

Viscosity

Viscosity, dynamics : 100.000 - 150.000 mPa.s (25 °C)

Viscosity, kinematics : not determined

Solubility/solubilities.

Water solubility : not determined

Solubility in other solvents : not determined

Partition coefficient: n-: No data available octanol/water

Vapor pressure : not determined

Density : 1.99 g/cm 3 (25 °C)

Apparent density : Not determined

Relative vapor density : Not determined

Particle characteristics

particle size :Not applicable

Particle size : Not applicable

9.2 Other Information

Explosives : Not applicable

Oxidizing properties : Not applicable

Self-ignition : Not applicable

Evaporation rate : not determined

Surface tension : not determined

Sublimation point : Not applicable



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22

safety data sheet - according to Regulation (EC) No. 1907/2006



10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

dangerous reactions : Reacts with the following substances:

Bases

Strong oxidizing agents Avoid amines.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used according to the specific

instructions.

10.5 Incompatible materials

Materials to avoid : Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

This product can release the following:

Carbon monoxide, carbon dioxide or unburned hydrocarbons (smoke).

SECTION 11: toxicological information

11.1 Information on the hazard classes defined in Regulation (EC) No. 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: No data available

Acute toxicity for

inhalation

: Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (by other

routes of administration) Remarks: No data available

Components:

2,2-bis-[4-(2,3-epoxypropoxy)phenyl]-propane:

Acute oral toxicity: LD50 (Rat, female): > 2,000 mg/kg Method:

OECD Test Guideline 420 GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402 GLP: yes



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22 safety data sheet - according to Regulation (EC) No. 1907/2006



Acute oral toxicity: LD50 (Rat): 2,900 mg/kg

Method: OECD Test Guideline 401 GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg Method: OECD

Test Guideline 402 GLP: yes

oxirane, mono[(C10-16-alkyloxy)methyl]-

derivatives: Acute oral toxicity: LD50 (Rat): 26,800 mg/kg

Method: No information available. BPL: no

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402 GLP: yes

Skin corrosion/irritation

Product:

Remarks : No data available

Components:

2,2-bis-[4-(2,3-epoxypropoxy)phenyl]-propane:

Species : On rabbit

Exposition time : 4 h

Method : OECD Test Guideline 404 Irritating to

Result : skin BPL : Yes

 $oxirane, \, mono \hbox{\tt [(C10-16-alkyloxy)} methyl]-derivatives: \,$

Species : On rabbit

Method : OECD Test Guideline 404 No skin

Result : irritation BPL : Yes

Serious eye damage/irritation

Product:

Remarks : No data available

Components:

oxirane, mono[(C10-16-alkyloxy)methyl]-derivatives:

Species : On rabbit

Method : OECD Test Guideline 405 No eye

Result : irritation BPL : Yes



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

 $\textbf{C-SYSTEMS STEEL BLUE component A BLUE} - February \ 2023 - batch \ n^{\circ} \ 100 - B3 - rev. 1/22$

safety data sheet - according to Regulation (EC) No. 1907/2006



Product:

Remarks : No data available

Components:

2,2-bis-[4-(2,3-epoxypropoxy)phenyl]-propane:

Test type : Mouse Local Lymph Node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitization by skin contact. Yes

BPL :

1,6-bis(2,3-epoxypropoxy)hexane:

Test type : Mouse Local Lymph Node assay (LLNA)

Route of exposure : Dermal Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitization by skin contact. Yes

BPL :

oxirane, mono[(C10-16-alkyloxy)methyl]-derivatives:

Test type : Maximization test

Route of exposure : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitization by skin contact. Yes

BPL

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

Specific target organ toxicity (STOT) - single exposure

Product:

Remarks : No data available



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22

safety data sheet - according to Regulation (EC) No. 1907/2006



Product:

Remarks : No data available

Repeated dose toxicity

Product:

Remarks : No data available

Aspiration toxicity

Components:

2,2-bis-[4-(2,3-epoxypropoxy)phenyl]-propane:

There is no classification for aspiration toxicity

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture contains no considered components

having endocrine disrupting properties within the meaning

of Article 57(f) of REACH or Commission Delegated

Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and

other aquatic invertebrates

: Remarks: No data available

Components:

2,2-bis-[4-(2,3-epoxypropoxy)phenyl]-propane:

Toxicity to daphnia and: to

other aquatic invertebrates Exposure time: 48 h

Type of test: Static test

Method: OECD Test Guideline 202 GLP: yes

EC50 (Daphnia (water flea)): 1.7 mg/l

Toxicity to daphnia and other aquatic invertebrates NOEC: 0.3mg/l Exposure time: 21 d

13/19



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22

safety data sheet - according to Regulation (EC) No. 1907/2006

(Chronic toxicity) Species: Daphnia magna (Water flea) Test type:

semi-static test

Method: OECD Test Guideline 211 GLP: yes

1,6-bis(2,3-epoxypropoxy)hexane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 30

mg/l Exposure time: 96 h Type of test: Semi-static test

Method: OECD Test Guideline 203 GLP: yes

Toxicity to daphnia and other aquatic invertebrates

ohnia and : EC50 (Daphnia magna (Water flea)): 39 mg/l Exposure

time: 48 h

Type of test: Static test

Method: OECD Test Guideline 202 GLP: yes

oxirane, mono[(C10-16-alkyloxy)methyl]-

derivatives: Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7

mg/l Exposure time: 96 h Type of test: Static test

Method: OECD Test Guideline 203 GLP: yes

Toxicity to daphnia and

other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 7.2 mg/l Exposure

time: 48 h

Type of test: Static test

Method: OECD Test Guideline 202 GLP: yes

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical elimination : Remarks: No data available

Components:

2,2-bis-[4-(2,3-epoxypropoxy)phenyl]-propane:

Biodegradability : Result: Not readily biodegradable. Method:

OECD Test Guideline 301F GLP: yes

1,6-bis(2,3-epoxypropoxy)hexane:

Biodegradability : Test type: aerobic

Result: Inherently biodegradable. Method: OECD

Test Guideline 301D GLP: yes



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22

safety data sheet - according to Regulation (EC) No. 1907/2006



Product:

Bioaccumulation : Remarks: No data available

Components:

2,2-bis-[4-(2,3-epoxypropoxy)phenyl]-propane:

Partition coefficient: n-: log Pow: 3.242 (25°C)

octanol/water pH: 7.1

Method: OECD Test Guideline 117 GLP: yes

1,6-bis(2,3-epoxypropoxy)hexane:

Partition coefficient: n-: log Pow: 0.822 (20°C)

octanol/water pH: 6 - 8

Method: OECD Test Guideline 107 GLP: yes

oxirane, mono[(C10-16-alkyloxy)methyl]-derivatives:

Partition coefficient: n-: log Pow: 6.6 octanol/water pH: 6.74

Method: OECD Test Guideline 117 GLP: yes

12.4 Mobility in soil

Components:

1,6-bis(2,3-epoxypropoxy)hexane:

Diffusion in the various sectors: log Koc: 2.98

environmental Method: OECD Test Guideline 121

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components

considered either persistent, bioaccumulative and toxic (PBT),

or very persistent and very bioaccumulative (vPvB) at

concentrations of 0.1% or higher.

12.6 Endocrine-disrupting properties

Product:

Assessment : The substance/mixture contains no considered components

having endocrine disrupting properties within the meaning

of Article 57(f) of REACH or Commission Delegated

Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.




Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22

safety data sheet - according to Regulation (EC) No. 1907/2006



Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the

event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Dangerous container when empty. Do not dispose of as household waste.

Do not mix waste from different sources during

collection.

Contaminated containers : Empty containers should be taken to an approved site

for recycling or disposal.

SECTION 14: transport information

14.1 UN number or ID number

Not regulated as dangerous goods

14.2 UN proper shipping name

Not regulated as dangerous goods

14.3 Transport hazard classes Not regulated as

dangerous goods

14.4 Packing group

ADR/RID/ADN : Not regulated as dangerous goods

IMDG extension : Not regulated as a dangerous good IMDG

Remarks : Code segregation group - none

IATA (Cargo) : Not regulated as dangerous goods. Not

IATA (Passenger) : regulated as dangerous goods

14.5 Environmental hazards

Not regulated as dangerous goods

14.6 Special precautions for user Remarks

: The transport of dangerous goods, including loading and unloading, must be carried out by persons who have received the necessary training required by the modal regulations.

14.7 Shipping in bulk in accordance with IMO acts Not applicable to the

product in its supplied form.



Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22 safety data sheet - according to Regulation (EC) No. 1907/2006



SECTION 15: Regulatory information

15.1 Safety, health and environmental laws and regulations specific to the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Must be considered the restriction conditions for the following items:

Number in list: 3

REACH - Candidate List of Substances of Very High

Concern for Authorization (Article 59).

: Not applicable

Regulation (EC) no. 1005/2009 on substances that

deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic

pollutants (recast)

: Not applicable

Regulation (EC) no. 649/2012 of the European Parliament: Not applicable

and of the Council on the export and import of

dangerous chemicals

REACH - List of substances subject to

authorization (Annex XIV)

: Not applicable

REGULATION (EU) 2019/1148 on the placing on the market and use of explosives precursors

: Not applicable

International Convention on Chemical Weapons (CWC), list of

chemical precursors and toxic products

: Not applicable

Regulation (EC) no. 111/2005 of the Council containing rules for the control of trade in drug precursors between

the Community and third countries

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards

involving dangerous substances.

Not applicable

Other legislations

: In reference to the composition of the product, no

we intentionally add none of the substances listed in the European Directive 2011/65/EU (RoHS 2, RoHS3 and China

RoHS).

Consequently, the product is in line with these directives. We do not intentionally add conflict minerals to the

product.

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22 safety data sheet - according to Regulation (EC) No. 1907/2006



15.2 Chemical safety assessment Not

applicable

SECTION 16: other information

Full text of the H-Statements

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. Causes

H319 : serious eye irritation.

H411 : Toxic to aquatic life with long lasting effects. Harmful to

H412 : aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard Eye irritation

Eye Irrit.

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitization

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the international carriage of dangerous goods by road; AIIC -Australian Inventory of Industrial Chemicals; ASTM - American Society for Testing of Materials; bw - Body weight; CLP - Classification, Labeling and Packaging Regulation; Regulation; Regulation (EC) No. 1272/2008; CMR - Carcinogenic, mutagenic or toxic to reproduction; DIN - Standard of the German Institute for Standardization; DSL - Domestic List of Substances (Canada); ECHA - European Chemicals Agency; EC-Number European Community Number; ECx - Concentration associated with x% response; ELx - Load rate associated with x% response; EmS - Emergency Program; ENCS - Existing and New Chemicals (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk; IC50 - Half of the maximum inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemicals China; IMDG - International Maritime Transport of Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Inventory of Existing Chemicals; LC50 - 50% lethal concentration for a test population; LD50 - 50% lethal dose for a test population (median lethal dose): MARPOL - International Convention for the Prevention of Pollution from Ships; nos - not otherwise specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observed Effect Load Rate; NZIOC - New Zealand Chemicals Inventory; OECD - Organization for Economic Co-operation and Development; OPPTS -Bureau of Chemical Safety and Pollution Prevention; PBT - Persistent, bioaccumulative and toxic substance; PICCS - Chemical Substances Inventory of the Philippines; (Q)SAR - (Quantitative) Structure Activity Relationships; REACH - Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the registration, evaluation, authorization and restriction of chemical substances; RID Regulations concerning the international rail transport of dangerous goods; SADT - Self-accelerating decomposition temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI -Taiwan Chemical Substance Inventory: TECL - Thailand Existing Chemical Substances Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States): UN-United Nations; vPvB - Very persistent and very bioaccumulative (Q)SAR - (Quantitative) Structure Activity Relationships; REACH - Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the registration, evaluation, authorization and restriction of chemical substances; RID - Regulations concerning the international rail transport of dangerous goods; SADT - Self-accelerating decomposition temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemical Substances Inventory; TRGS Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very persistent and very bioaccumulative (Q)SAR - (Quantitative) Structure Activity Relationships: REACH - Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the registration, evaluation, authorization and restriction of chemical substances: RID -Regulations concerning the international rail transport of dangerous goods; SADT - Self-accelerating decomposition temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI -Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemical Substances Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very persistent and very bioaccumulative 1907/2006 of the European Parliament and of the Council concerning the registration, evaluation, authorization and restriction of chemica substances; RID - Regulations concerning the international rail transport of dangerous goods; SADT - Self-accelerating decomposition temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern: TCSI - Taiwan Chemical Substance Inventory: TECI - Thailand Existing Chemical Substances Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very persistent and very bioaccumulative 1907/2006 of the European Parliament and of the Council concerning the registration, evaluation, authorization and restriction of chemical substances; RID - Regulations concerning the international rail transport of dangerous goods; SADT - Self-accelerating decomposition temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemical Substances Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very persistent and very bioaccumulative RID - Regulations concerning the international rail transport of dangerous goods; SADT - Self-accelerating decomposition temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemical Substances Inventory; TRGS -Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States): UN - United Nations: vPvB - Very persistent and very bioaccumulative RID - Regulations concerning the international rail transport of dangerous goods; SADT - Self-accelerating decomposition temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemical Substances Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; VPVB - Very persistent and very bioaccumulative TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very persistent and very bioaccumulative TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very persistent and very bioaccumulative TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very persistent and very bioaccumulative TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very persistent and very bioaccumulative TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very persistent and very bioaccumulative TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very persistent and very bioaccumulative TSCA - Toxic Substances Control Act (United States); UN - United States (United States); U States); UN - United Nations; vPvB - Very persistent and very bioaccumulative

Via M. Coppino 253 - 55049 Viareggio (Lu) ITALY

tel. +39 0584 383694

www.cecchi.i - info@cecchi.it

C-SYSTEMS STEEL BLUE component A BLUE-February 2023 - batch n° 100-B3 - rev.1/22 safety data sheet - according to Regulation (EC) No. 1907/2006



Further information

Directions : Provision of information, instruction and training to operators.

Classification of the mixture: Classification procedure:
Skin Irrit. 2 H315 Calculation method

Eye Irrit. 2 H319 Calculation method
Skin Sens. 1 H317 Calculation method
Aquatic Chronic 3 H412 Calculation method

The information contained in this Safety Data Sheet is correct according to our best knowledge of the product at the time of publication. This information is provided for the sole purpose of allowing the use, storage, transport and disposal of the product in the most correct and safest way. This information should not be considered a guarantee or specification of product quality.

IT / IT