Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB IT01.08.2022First edition date: 12.27.2012

EPOXY MIX 140 component B

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Commercial name : EPOXY MIX 140 component B

UFI : N330-508J-700U-GWG5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Type of application (use) : Adhesive

Usage Restrictions recommended : Reserved for industrial and professional users.

1.3 Details of the supplier of the safety data sheet

Company : CECCHI GUSTAVO & C. srl

Via M. Coppino 253 - 55049 Viareggio (LU)

ITALY

Telephone : +39 0584 383694

SDS manager's email address: info@cecchi.it

1.4 Emergency telephone number

+ 44 1235 239670 (All languages)

CAVp "Hosp. Pediatric Bambino Gesù" Rome Piazza Sant'Onofrio, 4 00165 Tel.06-68593726 Az. Osp. Univ. Foggia Foggia V.le Luigi Pinto, 1 71122 Tel.0881-732326 Hospital "A. Cardarelli" Naples Via A. Cardarelli, 9 80131 Tel.081-7472870 CAV Policlinico "Umberto I" Rome Viale del Policlinico, 155 00161 Tel.06-49978000 CAV Policlinico "A. Gemelli" Rome Largo Agostino Gemelli, 8 00168 Tel.06-3054343 Hospital "Careggi" Medical Toxicology Unit Florence Largo Brambilla, 3 50134 Tel.055-7947819 CAV National Center for Toxicological Information Pavia Via Salvatore Maugeri, 10 27100

Tel.0382-24444 hosp. Niguarda Ca' Granda Milan Piazza Ospedale Maggiore,3 20162 Tel.02-66101029 Papa Giovanni XXII Hospital Bergamo Piazza OMS, 1 24127 Tel.800883300 Integrated University

Hospital (AOUI) of Verona Borgo Trento branch, Verona Tel. 800011858

SECTION 2: hazard identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB IT01.08.2022First edition date: 12.27.2012

Acute toxicity, Category 4 H302: Harmful if swallowed.

Skin corrosion, Category 1 H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

Specific target organ toxicity - repeated

exposure, Category 2

H373: May cause damage to organs through

prolonged or repeated exposure.

Long-term (chronic) hazard to the aquatic environment, Category 3

H412: Harmful to aquatic life with long lasting

effects.

2.2 Elements of the label

Labeling (REGULATION (EC) N. 1272/2008)

Hazard pictograms:







Warning : Danger

Warning notices : H302 Harmful if swallowed.

H314
 H317
 H373
 It causes serious skin burns and serious eye injuries. May cause an allergic skin reaction.
 May cause damage to organs if exposed

prolonged or repeated.

H412 Harmful to aquatic life with long lasting effects.

Cautionary advice Prevention:

P260 Do not breathe mist or vapours.

P273 Do not disperse in the environment.

P280 Wear gloves/protective clothing/eye protection

eyes/ face protection/ hearing protection.

Reaction:

P303 + P361 + P353 IN CASE OF CONTACT WITH THE SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove any contact lenses if it is easy to do so. Continue rinsing. Immediately call a POISON

CENTER/doctor.

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB_IT01.08.2022First edition date: 12.27.2012

Hazardous components to be indicated on the label:

2-Propenenitrile, polymer with 1,3-butadiene, 1-cyano-1-methyl-4-oxo-4-[[2-(1-piperazinyl)ethyl]amino]butyl-terminated

3,6-dioxaoctamethylenediamine

2-piperazin-1-ylethylamine

2.3 Other dangers

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at concentrations of 0.1% or higher.

Ecological information: The substance/mixture does not contain any components considered to have endocrine disrupting properties within the meaning of Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain any components considered to have endocrine disrupting properties within the meaning of Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aliphatic amine

Components

Chemical Name	CAS No EC no INDEX NO Number of registration	Classification	concentration and (%w/w)
2-Propenenitrile, polymer with 1,3-	68683-29-4	Skin Irrit. 2; H315	> = 30 - < 50
butadiene, 1-cyano-1-methyl-4-		Skin Sens. 1; H317	
oxo-4-[[2-(1-			
piperazinyl)ethyl]amino]butylterminated			
3,6-dioxaoctamethylenediamine	929-59-9	Acute Tox. 4; H302	> = 20 - < 25
	213-203-6	Skin Corr. 1B; H314	
		Skin Sens. 1; H317	
Trimethylolpropane	39423-51-3	Acute Tox. 4; H302	> = 12.5 - < 20
poly(oxypropylene)triamine	500-105-6	Acute Tox. 4; H312	
	01-2119556886-20	Eye Dam. 1; H318	
		Aquatic Chronic 2;	
		H411	

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch no 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB_IT01.08.2022First edition date: 12.27.2012

Poly[oxy(methyl-1,2-ethanediyl)], . alpha(2-aminomethylethyl)- . omega(2-aminomethylethoxy)-	9046-10-0 01-2119557899-12	Skin Corr. 1C; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412	> = 7 - < 10
2,4,6- tris(dimethylaminomethyl)phenol	90-72-2 202-013-9 603-069-00-0 01-2119560597-27	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319	> = 5 - < 7
2-piperazin-1-ylethylamine	140-31-8 205-411-0 612-105-00-4	Acute Tox. 4; H302 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Repr. 2; H361 STOT RE 1; H372 (Respiratory tract) Aquatic Chronic 3; H412	> = 1 - < 2.5

For explanations of abbreviations see paragraph 16.

SECTION 4: first aid measures

4.1 Description of first	aid mea	asures Genera	ı
--------------------------	---------	---------------	---

information : Show this safety data sheet to the attending physician.

Keep warm in a quiet room.

Take off all contaminated clothing immediately.

If inhaled : Take to fresh air.

Put the person concerned in a resting position and keep him

warm.

If unconscious, place on side in stable position and consult a

doctor.

If symptoms persist, consult a doctor. In case of irregular breathing or respiratory arrest, give artificial

respiration.

In case of skin contact : Wash immediately with soap and plenty of water. Do

not use solvents or thinners.

If it gets on clothing, remove clothing. Burns must

be treated by a doctor.

In case of contact with

eyes

Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes.

If eye irritation persists, consult a physician. If this is easy,

remove contact lenses, if they are worn.

If ingested : DO NOT induce vomiting.

If victim vomits while lying on back, turn to side. Call a

doctor immediately.

Give small quantities of water to drink.

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB IT01.08.2022First edition date: 12.27.2012

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Burn

superficial burning sensation.

Redness Severe irritation

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : First Aid procedure should be agreed

consulting the competent occupational physician.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO2)

Foam Dry powder Watery fog

Unsuitable extinguishing media : Not known.

5.2 Special hazards arising from the substance or mixture

Specific dangers vs

the fire

: Pressure in hermetically sealed containers can

increase under the influence of heat.

Cool closed containers near the flames with nebulised

water.

Hazardous decomposition products in case of fire.

5.3 Advice for firefighters

Protection devices special for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information : In case of fire and/or explosion do not breathe fumes. Use

extinguishing systems compatible with the local situation and

the surrounding environment.

Immediately evacuate personnel to safe areas. Prevent water from fire extinguishers from contaminating surface

water or groundwater.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Individual precautions : Refer to protective measures listed in sections 7 and 8.

Evacuate personnel to safe areas. Use personal protective equipment. Provide adequate ventilation.

Inform the responsible authorities in the event of a gas leak,

or if it enters pipes, soil or sewers.

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB IT01.08.2022First edition date: 12.27.2012

6.2 Environmental precautions

Environmental precautions : Do not allow uncontrolled dumping of the product

in the environment.

Prevent the material from entering drains or waterways.

Local authorities must be notified if leaks cannot be

contained.

6.3 Methods and materials for containment and cleaning up

Methods of reclamation : Dry with inert material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Contain and collect spillage with non-combustible absorbent material (such as sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local or national regulations (see

section 13).

Collect and transfer to a properly labeled container.

6.4 Reference to other sections

See Section 8 for personal protective equipment.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Instructions for use: safe Ensure sufficient air exchange and/or exhaust in

workplaces.

Do not breathe vapors or spray.

Avoid inhalation, ingestion and contact with skin and eyes.

Wear protective clothing.

Persons with a history of skin hypersensitivity or asthma, chronic allergies or recurrent respiratory disease should not be employed in any process in which this mixture is used.

Advice on protection against fire and

explosions:

Keep away from open flames, hot surfaces and sources of

ignition.

Hygiene measures : Provide adequate ventilation. Wash hands and face before

breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Warehouse and container requirements: containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. To preserve the quality of the product, do not store near a heat

source and do not expose to direct light.

Additional information for

the conditions of

storage

: Protect from moisture.

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch no 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB_IT01.08.2022First edition date: 12.27.2012

Directions for the

storage together with other

products

: Keep away from isocyanates.

Do not store near acids. Keep away from

oxidizing agents.

Learn more about storage

stability

. Stable under normal environmental conditions of

temperature and pressure.

7.3 Particular End Uses

Particular uses : Consult the technical instructions for use of this

substance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances with occupational exposure limit values. Does not contain substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Name of the substance	Final use	Street of exposure	Potentials consequences on Health	Value
Trimethylolpropane poly(oxypropylene)tria mines	Workers	Contact with skin	Systemic effects a long term	1.6mg/kg
	Workers	Inhalation	Systemic effects a long term	14 mg/m3
	Consumers	Inhalation	Systemic effects a long term	3.48 mg/m3
	Consumers	Contact with skin	Systemic effects a long term	0.8mg/kg
Poly[oxy(methyl-1,2- ethanediyl)], .alpha (2-aminomethylethyl)- . omega(2- aminomethylethoxy)-	Workers	Contact with skin	Systemic effects a long term	2.5mg/kg
	Workers	Contact with skin	Long-term local effects	0.623mg/cm2
	Consumers	Contact with skin	Systemic effects a long term	1.25mg/kg
	Consumers	Contact with skin	Long-term local effects	0.311mg/cm2
	Consumers	Ingestion	Systemic effects a long term	0.04mg/kg
Silica, amorphous, fumed, crystfree	Workers	Inhalation	Long-term local effects	4mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental compartment	Value
Trimethylolpropane	Fresh water	0.0044 mg/l
poly(oxypropylene)triamine		
	Sea water	0.00044 mg/l

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch no 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB_IT01.08.2022First edition date: 12.27.2012

	Intermittent releases	0.044 mg/l
	Fresh water sediment	0.02mg/kg
	Marine sediment	0.002mg/kg
	Soil	0.002mg/kg
	Sewage treatment plant	10 mg/l
Poly[oxy(methyl-1,2-ethanediyl)], . alpha(2-aminomethylethyl) omega(2-aminomethylethoxy)-	Fresh water	0.015 mg/l
	Sea water	0.0143 mg/l
	Fresh water sediment	0.132mg/kg
	Marine sediment	0.125mg/kg
	Soil	0.0176mg/kg
	Intermittent releases	0.15 mg/l
	Sewage treatment plant	7.5 mg/l

8.2 Exposure controls

Appropriate engineering controls

Effective exhaust ventilation system effective ventilation in all process areas

Individual protection

Eye protection : Safety glasses with side protection according to

to the EN166 standard

Do not wear contact lenses.

Make sure that eyewash stations and emergency showers

are close to the workstation.

Hand protection

Material : Protective gloves according to EN 374.

Remarks : Nitrile rubber

Skin and body protection : Protection suit

Preventive skin protection recommended

Respiratory protection : Use a respirator during handling involving possible

exposure to product vapor.

The filter class of the respirator must be suitable for the maximum anticipated concentration of the contaminant (gas/vapour/particulate) which could arise when handling the product. If the concentration is exceeded, self-contained

breathing apparatus must be used.

Suggested filter type:

Filter - ABEK

The equipment must comply with EN 14387

Protection arrangements : Avoid contact with skin. Wear suitable

protective clothing.

SECTION 9: physical and chemical properties

9.1 Information on basic physical and chemical properties

physical state : liquid

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch no 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB_IT01.08.2022First edition date: 12.27.2012

Color : orange

Odor : ammoniacal

Olfactory threshold : not determined

Melting point/freezing point : Not applicable

Boiling point/range: > 100 °C

Upper explosion limit: Not applicable / Upper limit

of

flammability

Lower explosion limit /: Not applicable Lower limit

of

flammability

Flash point : 150°C

Ignition temperature : Not applicable

Temperature of

self-ignition

: Not applicable

decomposition

Temperature of decomposition

pH : 11

Concentration: 1%

: Method: No data available

Viscosity

Viscosity, dynamics : 85.000 - 130.000 mPa.s (25 °C)

Viscosity, kinematics : not determined

Solubility/solubilities.

Water solubility : not determined

Solubility in other solvents : not determined

Partition coefficient: n-: No data available octanol/water

Vapor pressure : not determined

Density : 1 g/cm 3 (25 °C)

Apparent density : not determined

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB_IT01.08.2022First edition date: 12.27.2012

Relative vapor density : not determined

Particle characteristics

particle size :Not applicable

Particle size: Not applicable

9.2 Other Information

Explosives : Not applicable

Oxidizing properties : Not applicable

Self-ignition : Not applicable

Evaporation rate : not determined

Surface tension : not determined

Sublimation point : Not applicable

SECTION 10: stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

dangerous reactions : Reacts with the following substances:

Acids

Strong oxidizing agents

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used according to the specific

instructions.

10.5 Incompatible materials

Materials to avoid : Strong acids

Strong oxidizing agents

10.6 Hazardous decomposition products

This product can release the following: Nitrogen oxides (NOx)

Carbon monoxide Carbon dioxide (CO2)

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it

CECCHI

EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB IT01.08.2022First edition date: 12.27.2012

SECTION 11: toxicological information

11.1 Information on the hazard classes defined in Regulation (EC) No. 1272/2008 Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 1,065 mg/kg

Method: Method of calculation

Acute toxicity for

inhalation

: Remarks: No data available

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute toxicity (by other routes :

of administration)

Remarks: No data available

Components:

Trimethylolpropane poly(oxypropylene)triamine:

Acute oral toxicity: LD50 (Rat, female): 550 mg/kg Method: OECD

Test Guideline 425 GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 1,000 mg/kg

Method: OECD Test Guideline 402 GLP: yes

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-:

Acute oral toxicity : LD50 (Rat, male and female): 2,885.3 mg/kg

Method: OECD Test Guideline 401 GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): 2,979.7 mg/kg

Method: OECD Test Guideline 402

BPL: yes

Skin corrosion/irritation

Product:

Remarks : No data available

Components:

Trimethylolpropane poly(oxypropylene)triamine:

Species : On rabbit

Method : OECD Test Guideline 404 Mild skin

Result : irritation BPL : Yes

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch no 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB_IT01.08.2022First edition date: 12.27.2012

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-:

Species : On rabbit

Method : OECD Test Guideline 404 Corrosive

Result :

Serious eye damage/irritation

Product:

Remarks : No data available

Components:

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-

aminomethylethoxy)-:

Method : OECD Test Guideline 405 Risk of

Result : serious damage to eyes.

Respiratory or skin sensitisation

Product:

Remarks : No data available

Components:

Trimethylolpropane poly(oxypropylene)triamine:

Test type : Buehler test
Route of exposure : Dermal
Species : Guinea pig

Method : OECD Test Guideline 406 Does not cause

Result : skin sensitization. Yes

BPL :

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on fetal : Remarks: No data available

development

Specific target organ toxicity (STOT) - single exposure

Product:

Remarks : No data available

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB IT01.08.2022First edition date: 12.27.2012

Specific target organ toxicity (STOT) - repeated exposure

Product:

Remarks : No data available

Repeated dose toxicity

Product:

Remarks : No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture contains no considered components

having endocrine disrupting properties within the meaning

of Article 57(f) of REACH or Commission Delegated

Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates

: Remarks: No data available

Components:

Trimethylolpropane poly(oxypropylene)triamine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100

mg/l Exposure time: 96 h Type of test: Static test

Method: OECD Test Guideline 203 GLP: yes

Toxicity to daphnia and

other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 13 mg/l Exposure

time: 48 h

Type of test: Static test

Method: OECD Test Guideline 202 GLP: yes

Toxicity to algae/aquatic

plants

EC50r (Pseudokirchneriella subcapitata (green algae)): 4.4

mg/l

Exposure time: 72 hours

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB_IT01.08.2022First edition date: 12.27.2012

Type of test: Static test

Method: OECD Test Guideline 201 GLP: yes

NOEC (Pseudokirchneriella subcapitata (green algae)): 1 mg/l

Exposure time: 72 h Type of

test: Static test

Method: OECD Test Guideline 201 GLP: yes

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 15 mg/l

Exposure time: 96 h Type of test: Semi-static test

Method: OECD Test Guideline 203 GLP: yes

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 80 mg/l Exposure

time: 48 h

Type of test: Static test

Method: OECD Test Guideline 202 GLP: yes

Toxicity to algae/aquatic

plants

: NOEC (Pseudokirchneriella subcapitata (green algae)): 0.32

mg/l

Exposure time: 72 h Type of

test: Static test

Method: OECD Test Guideline 201 GLP: yes

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical elimination : Remarks: No data available

Components:

Trimethylolpropane poly(oxypropylene)triamine:

Biodegradability : Test type: aerobic

Result: Not readily biodegradable. Method:

OECD Test Guideline 301F GLP: yes

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-:

Biodegradability : Test type: aerobic

Result: Not readily biodegradable. Method: OECD

Test Guideline 301 B GLP: yes

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB IT01.08.2022First edition date: 12.27.2012

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Trimethylolpropane poly(oxypropylene)triamine:

Partition coefficient: n-: log Pow: -1.13 (20°C)

octanol/water pH: 12.7 BPL: yes

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-:

Partition coefficient: n-: log Pow: 1.34 (25 °C) octanol/

water Method: OECD Test Guideline 117 GLP: yes

12.4 Mobility in soil No data

available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components

considered either persistent, bioaccumulative and toxic (PBT),

or very persistent and very bioaccumulative (vPvB) at

concentrations of 0.1% or higher.

12.6 Endocrine-disrupting properties

Product:

Assessment : The substance/mixture contains no considered components

having endocrine disrupting properties within the meaning

of Article 57(f) of REACH or Commission Delegated

Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Dangerous container when empty.

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch no 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB_IT01.08.2022First edition date: 12.27.2012

Do not dispose of as household waste.

Do not mix waste from different sources during

collection.

Contaminated containers : Empty containers should be taken to an approved site

for recycling or disposal.

SECTION 14: transport information

14.1 UN number or ID number

ADR/RID/ADN : UN 2735 IMDG extension : UN 2735 IATA : UN 2735

14.2 UN proper shipping name

ADR/RID/ADN : CORROSIVE LIQUID AMINES, NOS

(dioxaoctamethylenediamine)

IMDG extension : AMINES, LIQUID, CORROSIVE, NOS

(TRIETHYLENE GLYCOL DIAMINE)

IATA : Amines, liquid, corrosive, nos

(TRIETHYLENE GLYCOL DIAMINE)

14.3 Transport hazard classes

ADR/RID/ADN : 8
IMDG extension : 8
IATA : 8

14.4 Packing group

ADR/RID/ADN

Packing group : III
Classification code : C7
Hazard identification : 80

number

Labels : 8
Tunnel restriction code : AND

IMDG extension : III
Packing group : 8
Labels : FA, SB
EmS Code

: IMDG Code segregation group 18 - Alkalis

IATA (Cargo) : 856

Packing Instructions

(Cargo Aircraft) : III

Packing group : Corrosive Labels

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB IT01.08.2022First edition date: 12.27.2012

IATA (Passenger)

Packing Instructions : 852

(Passenger Aircraft)

Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosive

14.5 Environmental hazards

ADR/RID/ADN

Dangerous for the environment : no

IMDG extension

Marine pollutant : no

14.6 Special precautions for users

Remarks: The transport of dangerous goods, including loading and

unloading, must be carried out by persons who have received the

necessary training required by the modal regulations.

The transport classification(s) provided herein are for informational purposes only and based solely on the properties of the unpackaged material as described in this MSDS. Shipping classifications may vary based on mode of transportation, package sizes, and changes in regional or country regulations.

14.7 Shipping in bulk in accordance with IMO acts Not applicable to the product in its supplied form.

SECTION 15: Regulatory information

15.1 Safety, health and environmental laws and regulations specific to the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: The restriction conditions for the following items have to be considered:

Number in list: 3
: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorization (Article 59).

Regulation (EC) no. 1005/2009 on substances that

deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic

pollutants (recast)

: Not applicable

Regulation (EC) no. 649/2012 of the European Parliament: Not applicable

and of the Council on the export and import of

dangerous chemicals

REACH - List of substances subject to

authorization (Annex XIV)

: Not applicable

REGULATION (EU) 2019/1148 on the placing on the market and use of explosives precursors

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it

CECCHI

EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch no 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB IT01.08.2022First edition date: 12.27.2012

: Not applicable

: Not applicable

International Chemical Weapons Convention (CWC), : Not applicable list of chemical precursors and toxic products

Regulation (EC) no. 111/2005 of the Council containing rules for the control of trade in drug precursors between

the Community and third countries

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Other legislations : Referring to the product composition, we intentionally do not

add any of the substances listed in the European Directive

2011/65/EU (RoHS 2, RoHS3 and China RoHS).

Consequently, the product is in line with these directives. We do not intentionally add conflict minerals to the

product.

15.2 Chemical safety assessment Not

applicable

SECTION 16: other information

Full text of the H-Statements

H302 : Harmful if swallowed.
H311 : Toxic in contact w

H311 : Toxic in contact with skin. H312 : Harmful in contact with skin.

H314 : It causes serious skin burns and serious eye

H315 : injuries. Causes skin irritation.

H317 : May cause an allergic skin reaction. Causes

H318 : serious eye damage.

H319 : Causes serious eye irritation.

H361 : Suspected of damaging fertility or the unborn child if swallowed.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H411 : Toxic to aquatic life with long lasting effects. Harmful to

H412 : aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard Serious eye damage

Eye Dam.

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity Skin

Skin Corr. : corrosion
Skin Irrit. : Skin irritation

18/20

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694 www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB IT01.08.2022First edition date: 12.27.2012

Skin Sens. : Skin sensitization

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the international carriage of dangerous goods by road; AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for Testing of Materials; bw - Body weight; CLP - Classification, Labeling and Packaging Regulation; Regulation (EC) No. 1272/2008; CMR - Carcinogenic, mutagenic or toxic to reproduction; DIN - Standard of the German Institute for Standardization; DSL - Domestic List of Substances (Canada); ECHA -European Chemicals Agency; EC-Number - European Community Number; ECx - Concentration associated with x% response; ELx - Load rate associated with x% response; EmS - Emergency Program; ENCS - Existing and New Chemicals (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk; IC50 - Half the concentration maximal inhibitory; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemicals China; IMDG - International Maritime Transport of Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Inventory of Existing Chemicals: LC50 - 50% lethal concentration for a test population: LD50 - 50% lethal dose for a test population (median lethal dose); MARPOL - International Convention for the Prevention of Pollution from Ships; our - not otherwise specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observed Effect Load Rate; NZIoC - New Zealand Chemicals Inventory; OECD - Organization for Economic Co-operation and Development; OPPTS - Bureau of Chemical Safety and Pollution Prevention; PBT - Persistent, bioaccumulative and toxic substance; PICCS - Chemical Substances Inventory of the Philippines; (Q)SAR - (Quantitative) Structure Activity Relationships; REACH -Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the registration, evaluation, the authorization and restriction of chemicals; RID - Regulations concerning the international rail transport of dangerous goods; SADT - Self-accelerating decomposition temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemical Substances Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very persistent and very bioaccumulative TSCA - Toxic Substances Control Act (United States): UN - United Nations: vPvB - Very persistent and very bioaccumulative TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB -Very persistent and very bioaccumulative

Further information

Aquatic Chronic 3

Directions : Provision of information, instructions to operators

on training and training.

Classification of the mixture: **Classification procedure:** H302 Calculation method Acute Tox. 4 H314 Skin Corr. 1 Calculation method Eye Dam. 1 H318 Calculation method Skin Sens. 1 H317 Calculation method STOT RE 2 H373 Calculation method

H412

Calculation method

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY tel. +39 0584 383694

www.cecchi.it info@cecchi.it



EPOXY MIX 140 component B - SAFETY DATA SHEET - August 2022 - batch n° 082-B3

VersionReview date:Previous edition date: 12.15.20209.0 SDB_IT01.08.2022First edition date: 12.27.2012

The information contained in this Safety Data Sheet is correct according to our best knowledge of the product at the time of publication. This information is provided for the sole purpose of allowing the use, storage, transport and disposal of the product in the most correct and safest way. This information should not be considered a guarantee or specification of product quality.

EN / EN