Via M. Coppino 253 - 55049 Viareggio (LU) ITALY tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3



Version Revision Date: Date of last issue: 02.12.2020 8.0 SDB_GB 07.08.2022 Date of first issue: 27.12.2012

C-SYSTEMS STEEL BLUE component B

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : C-Steel Blue B (Yellow)
UFI : E720-30CK-500W-VGNH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Type of Application (Use) : Epoxy Hardener

Recommended restrictions : Reso

on use

Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company : Cecchi Gustavo & C. srl - Via M. Coppino 253,

55049 Viareggio (LU) ITALY

Telephone : +39 0584 383694

E-mail address of person responsible for the SDS

info@cecchi.it

1.4 Emergency telephone number

+44 1235 239670 (All languages)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Skin corrosion, Sub-category 1A H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3

Version **Revision Date:** Date of last issue: 02.12.2020 8.0 SDB GB 07.08.2022 Date of first issue: 27.12.2012

Hazard pictograms





Signal word Danger

Hazard statements H302 Harmful if swallowed.

> Causes severe skin burns and eve damage. H314

H317 May cause an allergic skin reaction.

Prevention: Precautionary statements

> P261 Avoid breathing mist or vapours.

Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3



VersionRevision Date:Date of last issue: 02.12.20208.0 SDB_GB07.08.2022Date of first issue: 27.12.2012

Chemical nature : Aliphatic Amine

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
2,2,4(or 2,4,4)-trimethylhexane-	25513-64-8	Acute Tox. 4; H302	>= 50 - <= 100
1,6-diamine	247-063-2	Skin Corr. 1A; H314	
	01-2119560598-25	Eye Dam. 1; H318	
		Skin Sens. 1A; H317	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Show this safety data sheet to the doctor in attendance.

Keep warm and in a quiet place.

Take off all contaminated clothing immediately.

If inhaled : Move to fresh air.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Wash off immediately with soap and plenty of water.

Do NOT use solvents or thinners. If on clothes, remove clothes.

Burns must be treated by a physician.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

If eye irritation persists, consult a specialist. If easy to do, remove contact lens, if worn.

If swallowed : Do NOT induce vomiting.

If a person vomits when lying on his back, place him in the

recovery position.

Call a physician immediately.

Give small amounts of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Burr

superficial burning sensation

Redness Severe irritation

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3



Version Revision Date: Date of last issue: 02.12.2020 8.0 SDB GB 07.08.2022 Date of first issue: 27.12.2012

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO2)

Foam Dry powder Water mist

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

The pressure in sealed containers can increase under the

influence of heat.

Cool closed containers exposed to fire with water spray. Hazardous decomposition products formed under fire condi-

tions.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Further information : In the event of fire and/or explosion do not breathe fumes.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Immediately evacuate personnel to safe areas.

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Evacuate personnel to safe areas. Use personal protective equipment.

Ensure adequate ventilation.

Inform the responsible authorities in case of gas leakage, or of

entry into waterways, soil or drains.

6.2 Environmental precautions

Environmental precautions : Do not allow uncontrolled discharge of product into the envi-

ronment.

Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3



VersionRevision Date:Date of last issue: 02.12.20208.0 SDB_GB07.08.2022Date of first issue: 27.12.2012

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapours or spray mist.

Avoid inhalation, ingestion and contact with skin and eyes.

Wear personal protective equipment.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Keep away from open flames, hot surfaces and sources of

ignition.

Hygiene measures : Provide adequate ventilation. Wash hands and face before

breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep containers tightly closed in a dry, cool and wellventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

Further information on stor-

age conditions

Protect from moisture.

Advice on common storage : Keep away from isocyanates.

Do not store near acids.

Keep away from oxidizing agents.

Further information on stor-

age stability

: Stable at normal ambient temperature and pressure.

7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this sub-

stance/mixture.

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3



VersionRevision Date:Date of last issue: 02.12.20208.0 SDB_GB07.08.2022Date of first issue: 27.12.2012

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values. Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Effective exhaust ventilation system effective ventilation in all processing areas

Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Do not wear contact lenses.

Ensure that eyewash stations and safety showers are close

to the workstation location.

Hand protection

Material : Protective gloves complying with EN 374.

Remarks : Nitrile rubber

Skin and body protection : Protective suit

Recommended preventive skin protection

Respiratory protection : Use respirator when performing operations involving potential

exposure to vapour of the product.

The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Recommended Filter type:

ABEK-filter

Equipment should conform to EN 14387

Protective measures : Avoid contact with skin.

Wear suitable protective equipment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : yellow

Odour : ammoniacal

Odour Threshold : not determined

Melting point/freezing point : Not applicable

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3

September 2022 - batch n° 237-B3

.

VersionRevision Date:Date of last issue: 02.12.20208.0 SDB_GB07.08.2022Date of first issue: 27.12.2012

Boiling point/boiling range : > 200 °C

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Flash point : 100 °C

Ignition temperature : Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

pH : 11

Concentration: 1 %

Viscosity

Viscosity, dynamic : 5 - 10 mPa.s (25 °C)

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : not determined

Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : not determined

Density : 0,88 g/cm3 (25 °C)

Bulk density : not determined

Relative vapour density : not determined

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not applicable

Oxidizing properties : Not applicable

Self-ignition : Not applicable

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3



VersionRevision Date:Date of last issue: 02.12.20208.0 SDB_GB07.08.2022Date of first issue: 27.12.2012

Evaporation rate : not determined

Surface tension : not determined

Sublimation point : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with the following substances:

Acids

Strong oxidizing agents

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : Strong acids

Strong oxidizing agents

10.6 Hazardous decomposition products

This product may release the following:

Nitrogen oxides (NOx) Carbon monoxide Carbon dioxide (CO2)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 506,07 mg/kg

Method: Calculation method

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of :

administration) Remarks: No data available

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3

CECCHI

VersionRevision Date:Date of last issue: 02.12.20208.0 SDB_GB07.08.2022Date of first issue: 27.12.2012

Skin corrosion/irritation

Product:

Remarks : No data available

Serious eye damage/eye irritation

Product:

Remarks : No data available

Respiratory or skin sensitisation

Product:

Remarks : No data available

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

: Remarks: No data available

STOT - single exposure

Product:

Remarks : No data available

STOT - repeated exposure

Product:

Remarks : No data available

Repeated dose toxicity

Product:

Remarks : No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3



Revision Date: Date of last issue: 02.12.2020 Version 8.0 SDB GB 07.08.2022 Date of first issue: 27.12.2012

> REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

ity

Physico-chemical removabil- : Remarks: No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

This substance/mixture contains no components considered Assessment

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY

tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3



VersionRevision Date:Date of last issue: 02.12.20208.0 SDB_GB07.08.2022Date of first issue: 27.12.2012

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Container hazardous when empty.

Do not dispose of with domestic refuse.

Do not mix waste streams during collection.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

 ADR/RID/ADN
 : UN 2735

 IMDG
 : UN 2735

 IATA
 : UN 2735

14.2 UN proper shipping name

ADR/RID/ADN : AMINES, LIQUID, CORROSIVE, N.O.S.

(2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine)

IMDG : AMINES, LIQUID, CORROSIVE, N.O.S.

(2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine)

IATA : Amines, liquid, corrosive, n.o.s.

(2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine)

14.3 Transport hazard class(es)

ADR/RID/ADN : 8
IMDG : 8
IATA : 8

14.4 Packing group

ADR/RID/ADN

Packing group : III
Classification Code : C7
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : E

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3



Version Revision Date: Date of last issue: 02.12.2020 8.0 SDB GB 07.08.2022 Date of first issue: 27.12.2012

IMDG

Packing group Ш Labels 8

EmS Code F-A, S-B

Remarks IMDG Code segregation group 18 - Alkalis

IATA (Cargo)

Packing instruction (cargo 856

aircraft)

Packing group Ш

Labels Corrosive

IATA (Passenger)

Packing instruction (passen-852

ger aircraft)

Packing instruction (LQ) Y841 Packing group Ш

Labels Corrosive

14.5 Environmental hazards

ADR/RID/ADN

Environmentally hazardous

Marine pollutant nο

14.6 Special precautions for user

Remarks The transport of dangerous goods, including their loading and

unloading, must be done by people who received the neces-

sary training required by Modal Regulations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances.

mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Conditions of restriction for the following entries should be considered:

Number on list 3

Conditions of restriction for the following entries should be considered:

Number on list: 3

Not applicable

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY tel. +39 0584 383694

www.cecchi.it - info@cecchi.it

C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3

Version Revision Date: Date of last issue: 02.12.2020 8.0 SDB GB 07.08.2022 Date of first issue: 27.12.2012

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

UK REACH List of substances subject to authorisation Not applicable

(Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of

explosives precursors

Not applicable

Not applicable

Not applicable

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Not applicable

Not applicable

Council Regulation (EC) No 111/2005 laying down rules

for the monitoring of trade between the Community and

third countries in drug precursors

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Seveso III Directive (2012/18/EU) implemented by Control of Major Accident Hazards Regula-

tions 2015 (COMAH)

Not applicable

15.2 Chemical safety assessment

Not applicable

SECTION 16: Other information

Full text of H-Statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

May cause an allergic skin reaction. H317

H318 Causes serious eye damage.

Full text of other abbreviations

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage Skin Corr. Skin corrosion Skin Sens. Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-

Via M. Coppino 253 - 55049 Viareggio (LU) ITALY tel. +39 0584 383694 www.cecchi.it - info@cecchi.it



C-SYSTEMS STEEL BLUE component B - September 2022 - batch n° 237-B3

Version Revision Date: Date of last issue: 02.12.2020 8.0 SDB_GB 07.08.2022 Date of first issue: 27.12.2012

ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008: CMR - Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Training advice : Provide adequate information, instruction and training for operators.

Classification of the mixture: Classification procedure:

Acute Tox. 4	H302	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

GB / EN