

**Safety Data Sheet**
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking• **1.1 Product Identifier**

• Trade name: SPINNAKER GOLD FASHION

UFI: Q300-F03N-H00H-AY2W

• **1.2 Relevant identified uses of the substance or mixture and uses advised against**• **Sector of use**

SU22 Professional uses: public sector (administration, education, entertainment, services, crafts)

SU21 Consumer uses: households / general population / consumers

• Product category PC9a Coatings and paints, thinners, paint strippers

• Process category PROC10 Application with rollers or brushes

• Environmental release category

ERC5 Industrial use resulting in inclusion into or onto the surface of an article

ERC8c Widespread use resulting in an inclusion in or on the surface of an article (indoor use)

ERC8f Widespread use resulting in inclusion into or onto an article (outdoor use)

• Category of articles AC11 Wooden articles

• Application of the substance / the preparation

See our datasheet for the application of this product. Varnish for teak

• **1.3 Details of the supplier of the safety data sheet****Manufacturer/supplier:**

CECCHI GUSTAVO & C. srl

Via M.Coppino, 253 55049

VIAREGGIO (LU) ITALY

tel.+39 0584 383694

email: info@cecchi.it

1.4 Emergency telephone number:

CECCHI GUSTAVO & C. srl tel: +39 0584 383694, E-mail: info@cecchi.it Office hours:

8:30-12:30, 14:00-18:30 from Monday to Friday.

CAV "Hosp. Pediatric Bambino Gesù" Department of Emergency and Acceptance DEA Rome

Piazza Sant'Onofrio, 4 - 00165 - 06.68593726

Hospital Univ. Foggia Foggia V.le Luigi Pinto, 1 - 71122 - 800183459 Az. Osp. "A. Cardarelli" Naples Via

A. Cardarelli, 9 - 80131 - 081.5453333 CAV Policlinico "Umberto I" Rome Viale del Policlinico, 155 -

00161 -06.49978000 CAV Policlinico "A. Gemelli" Rome Largo Agostino Gemelli, 8 - 00168 - 06.3054343

Hosp. "Careggi" Unit of Medical Toxicology Florence Largo Brambilla, 3 - 50134 W. 055.7947819

CAV National Toxicological Information Center Pavia Via Salvatore Maugeri,

10 - 27100 - 0382.24444

hosp. Niguarda Ca' Granda Milan Piazza Maggiore Hospital, 3 - 20162 - 02.66101029

Pope John XXII Hospital Bergamo Piazza OMS, 1 - 24127 - 800883300

Verona Integrated Hospital Verona Piazzale Aristide Stefani, 1 - 37126 - 800011858

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 1)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to regulation (EC) n. 1272/2008



GHS02 flame

Flam. Liq. 3

H226 Flammable liquid and vapour.



GHS07

Eye Irrit. 2
STOT IF 3H319 Causes serious eye irritation. H336 May cause
drowsiness or dizziness.

Aquatic Chronic 3

H412 Harmful to aquatic life with effects of
long duration.

- 2.2 Elements of the label
- Labeling according to regulation (EC) n. 1272/2008
The product is classified and labeled in accordance with the CLP regulation.
- Hazard pictograms



GHS02



GHS07

- Warning Caution

Hazardous components determining labelling:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics. (Note-P) Butan-1-ol

- Directions of danger
H226 Flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, flames and other ignition sources. Smoking prohibited. Do not breathe dust/fume/gas/mist/vapours/spray.
P260
P271 Use only outdoors or in a well-ventilated area. Wear gloves/protective clothing/eye protection/face protection/hearing protection.
P280
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P303+P361+P353 IF ON SKIN (or hair): Get off immediately off all contaminated clothing. Rinse skin [or take a shower].

(continued on page 3)

EN



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 2)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- More data:
EUH066 Repeated exposure may cause skin dryness or cracking skin.
- 2.3 Other dangers
- Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description:
Blend of resins
Blend of solvents with additives

Dangerous substances:

CAS: 64742-48-9 EC numbers: 919-857-5 Index number: 649-327-00-6 Reg. no.: 01-2119463258-33	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics. (Note-P) Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT IF 3, H336	25-50%
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60 workplace exposure	(methyl-2-methoxyethoxy)propanol substance with a Community limit of	≤2.5%
CAS: 7727-43-7 EINECS: 231-784-4 Reg.nr.: 01-2119491274-35 workplace exposure	Barium sulfate substance with a Community limit of	≤2.5%
CAS: 71-36-3 EINECS: 200-751-6 Index number: 603-004-00-6 Reg. no.: 01-2119484630-38	Butan-1-ol Flam. Liq. 3, H226 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335-H336	≤1%
CAS: 140-66-9 EINECS: 205-426-2 Index number: 604-075-00-6 Reg. no.: 01-2119541687-29	4-(1,1,3,3-tetramethylbutyl)phenol) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) Skin Irrit. 2, H315	≥0.025-<0.25%

Additional information:

Notes P: The substance is not to be classified as a carcinogen or mutagen as it can be shown that the substance contains less than 0.1% (w/w) benzene (EINECS No. 200-753-7). This note applies only to certain petroleum-derived substances in Part 3.

(continued on page 4)

**Safety Data Sheet**
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 3)

The text of the warning for the dangers mentioned can be found in chapter 16

*** SECTION 4: First aid measures**

- 4.1 Description of first aid measures
 - General information:
Immediately remove any clothing contaminated by the product.
 - Inhalation:
Take to a well-ventilated area, in case of discomfort consult a doctor.
 - After skin contact: Wash off immediately with water.
 - Eye contact:
Wash with running water for several minutes keeping the eyelids open. If the pain persists, consult your doctor.
 - After ingestion: If pain persists, consult a doctor.
 - 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
 - 4.3 Indication of any immediate medical attention and special treatment needed
- No other information available.

*** SECTION 5: Fire fighting measures**

- 5.1 Extinguishing media
Suitable extinguishing media:
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
If heated or in case of fire, the product develops toxic fumes. No other information available.
- 5.3 Advice for firefighters
- Protective equipment: Wear respirator.

*** SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient ventilation. Put on the respirator.
Wear protective equipment. Keep unequipped people away.
 - 6.2 Environmental precautions:
Prevent the product from entering sewers, quarries or cellars.
In case of infiltration into bodies of water or sewers, notify the competent authorities.

Dilute abundantly with water.
Prevent infiltration into sewers/surface water/groundwater.
 - 6.3 Methods and material for containment and cleaning up: Collect the liquid with absorbent material (sand, silica gel, acid binder, universal binder, sawdust).
- Disposal of contaminated material in accordance with point 13.

(continued on page 5)



**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 4)

Provide for sufficient ventilation.

- **6.4 Reference to other sections**
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

For information on disposal, see Chapter 13.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Thorough ventilation/extraction in the workplace. Avoid the formation of aerosols.

See manufacturer/supplier

- **Information about protection against fire - and explosions:** Keep ignition sources away - Do not smoke. Take measures against electrostatic charges. Have respirator ready.

- **7.2 Conditions for safe storage, including any incompatibilities**
Storage:

- **Requirements to be met by storerooms and receptacles:** Keep only in original containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

- **7.3 Particular end use(s)** wood protection.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Components whose limit values must be monitored in environments of Work:**

34590-94-8 (methyl-2-methoxyethoxy)propanol

TWA extension	Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin
----------------------	--

VL	Long-term value: 308 mg/m³, 50 ppm skin
-----------	---

7727-43-7 Barium sulphate

TWA	Long-term value: 10 mg/m³
------------	---

71-36-3 Butan-1-ol

TWA	Long-term value: 61 mg/m³, 20 ppm
------------	---

34590-94-8 (methyl-2-methoxyethoxy)propanol

TWA extension	Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin
----------------------	--

VL	Long-term value: 308 mg/m³, 50 ppm skin
-----------	---

(continued on page 6)



**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 5)

7727-43-7 Barium sulphate		
TWA	Long-term value: 10 mg/m³	
71-36-3 Butan-1-ol		
TWA	Long-term value: 61 mg/m³, 20 ppm	

· Regulatory information TWA: Threshold Limit Values

VL: Legislative Decree no. 81/2008

· DNEL (Derived No Effect Level) for professionals

64742-48-9 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < al aromatics 2%. (Note-P)		
Cutaneous	Long-term - systemic effects.	77 mg/kg/day (Personal)
By inhalation	Long-term - systemic effects.	871 mg/m ³ (Personal)
34590-94-8 (methyl-2-methoxyethoxy)propanol		
Cutaneous	Long-term - systemic effects.	283 mg/kg/day (Personal)
By inhalation	Long-term - systemic effects.	308 mg/m ³ (Personal)
7727-43-7 Barium sulphate		
By inhalation	Long-term - local effects.	10 mg/m ³ (Personal)
	Long-term - systemic effects.	10 mg/m ³ (Personal)
71-36-3 Butan-1-ol		
By inhalation	Long-term - local effects.	310 mg/m ³ (Personal)
140-66-9 4-(1,1,3,3-tetramethylbutyl)phenol)		
Cutaneous	Acute / short-term - systemic effects.	33 mg/kg bw/day (Personal)
By inhalation	Long-term systemic effects.	11.3 mg//kg/day (Personal)
	Acute / short-term - systemic effects.	2.4 mg/m ³ (Personal)
	Long-term - systemic effects.	0.8 mg/m ³ (Personal)

· DNEL (Derived No Effect Level) for the general public

64742-48-9 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < al aromatics 2%. (Note-P)		
Oral	Long-term systemic effects.	46 mg/kg bw/day (General population)
Cutaneous	Long-term - systemic effects.	46 mg/kg bw/day (General population)
By inhalation	Long-term - systemic effects.	185 mg/m ³ (Population general)

(continued on page 7)



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 6)

34590-94-8 (methyl-2-methoxyethoxy)propanol		
Oral	Long-term systemic effects.	36 mg/kg bw/day (General population)
Cutaneous	Long-term - systemic effects.	121 mg/kg bw/day (General population)
By inhalation	Long-term - systemic effects.	37.2 mg/m ³ (General population)
7727-43-7 Barium sulphate		
Oral	Long-term systemic effects.	13,000 mg/kg bw/day (general population)
By inhalation	Long-term - systemic effects.	10 mg/m ³ (Population general)
71-36-3 Butan-1-ol		
Oral	Long-term systemic effects.	mg/kg bw/day (rat)
Cutaneous	Long-term - systemic effects.	3.125 mg/kg bw/day (general population)
By inhalation	Long-term - systemic effects.	55.357 mg/m ³ (General population)
	Long-term - local effects.	155 mg/m ³ (Population general)
140-66-9 4-(1,1,3,3-tetramethylbutyl)phenol		
Oral	Long-term systemic effects.	0.1 mg/kg bw/day (General population)
	Short-term - systemic effects.	0.1 mg/kg bw/day (General population)
Cutaneous	Acute / short-term - systemic effects.	16.8 mg/kg bw/day (General population)
	Long-term - systemic effects.	5.6 mg/kg bw/day (General population)
By inhalation	Acute effects - systemic.	1.8 mg/m ³ (Population general)
	Long-term - systemic effects.	0.6 mg/m ³ (Population general)

• **NECP**

34590-94-8 (methyl-2-methoxyethoxy)propanol	
Fresh water	19 mg/l (fresh water)
Marine water	1.9 mg/l (sea water)
Sediment (freshwater)	70.2 mg/kg sed dw (Fresh water)
Sediment (seawater) STP	7.02 mg/kg sed dw (Sea water)
	4.168 mg/l (Segmentation, Targeting and Positioning)
Soil	2.74 mg/kg (soil)

(continued on page 8)

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 7)

7727-43-7 Barium sulphate	
Fresh water	115 µg/l (fresh water)
Sediment (freshwater) STP	600.4 mg/kg sed dw (Fresh water) 62.2 mg/l (Segmentation, Targeting and Positioning)
Soil	207.7 mg/kg (soil)
71-36-3 Butan-1-ol	
Fresh water	0.082 mg/l (Fresh water) 0.008 mg/l (Marine water)
Marine water	0.324 mg/kg sed dw (Fresh water)
Sediment (freshwater)	0.032 mg/kg sed dw (Marine water)
Sediment (seawater) STP	
Soil	2.476 mg/l (Segmentation, Targeting and Positioning) 0.017 mg/kg (soil)
140-66-9 4-(1,1,3,3-tetramethylbutyl)phenol)	
Fresh water	0.001 mg/l (Marine water) 0.001 mg/l (Marine water)
Marine water	4.62 mg/kg sed dw (Fresh water)
Sediment (freshwater)	
Sediment (seawater) STP	1.23 mg/kg sed dw (Sea water)
Soil	0.1 mg/l (Segmentation, Targeting and Positioning) 2.3 mg/kg (soil)

Additional information:

The lists valid at the date of compilation were used as a basis.

• 8.2 Exposure controls

Appropriate engineering controls No further data, see point 7.

• Individual protection measures, such as personal protective equipment

• General protective measures and hygiene at work: Keep away from food, drink and fodder.

Remove contaminated clothing immediately.

Wash hands before breaks or after work. Avoid contact with eyes.

Avoid contact with eyes and skin.

• Respiratory protection

In case of short or low load, respiratory filter device; in case of intensive or prolonged exposure, use an air-independent respirator. We recommend a half face mask for organic vapors and solvents according to EN140 type A1 or A2.

• Hand protection

**Protective gloves**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to lack of tests no recommendation on the glove material with which to handle the product / formulation / chemical mixture can be made.

(continued on page 9)

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 8)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Glove material**

The selection of the suitable gloves does not only depend on the material but also on other quality features which vary from one manufacturer to another. Since the product represents a formulation of several substances, the stability of the glove materials cannot be calculated in advance and must be tested before use

- **Penetration time of glove material**

nitrile rubber; glove thickness > 0.45 mm, breakthrough time > 480 minutes according to EN 374.

PVS, fluorinated rubber; handschoendike > 0.45 mm, pentratietijd > 480 min to EN374.

Ask the supplier of the gloves for the precise break through time which has to be observed.

For the continuous contact for a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber

As protection against splashes gloves made of the following materials are suitable:

chloroprene; glove thickness > 0.7 mm, breakthrough time > 60 min. according to the EN 374 standard.

nitrile rubber; gloves nor > 0.3 mm, breakthrough time > 60 min. and according to 374.

Chloropene; glove thickness > 0.7 mm, breakthrough time > 60 minutes. according to EN 374.

Nitrile rubber; glove thickness > 0.3 mm, breakthrough time > 60 minutes. according to EN 374.

- **Eye/face protection**



Sealed protective goggles

- **Body protection: Wear protective suit.**

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General indications**

- **Physical state**

Liquid

- **Color:**

In accordance with the product designation

- **Odor:**

Characteristic

- **Olfactory threshold:**

Not defined.

- **Melting point/freezing point:**

Not defined.

(continued on page 10)

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 9)

Boiling point or initial boiling point and boiling range

154 °C (64742-48-9 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics. (P-Note))

- Flammability
- Lower and upper explosive limits

Flammable.

- Inferior:
- Superior:

0.6 Vol %
7 Vol %**Flash point:**

41 °C

- Temperature Of power on:

240 °C

- Temperature Of decomposition:

Not defined.

ph

The mixture is not soluble (in water).

- Viscosity:

- Kinematic viscosity at 20 °C

55s (ISO6mm)

Dynamics:

Undefined.

- Solubility

- waterfall:

Completely miscible.

Noctanol/water partition coefficient
(logarithmic value)

Not defined.

- Vapor pressure:

Not defined.

- Density and/or relative density

Density at 20 °C:0.94 g/cm³ (ISO 2811) Not

- Density relative

defined.

- Density Of steam:

Not defined.

- 9.2 Others information

- I wait:

Shape:

Liquid

- Information important on protection of health and the environment as well as safety

Self-ignition temperature:

Product not self-flammable.

Explosive properties:

Product is not explosive, however formation of vapour/air mixtures is possible explosives.

- Tenor of solvent:

- Solvents organic:

39.1 %

VOC (CE)

38.8 %

367.9 g/l

Solid content:

61.0% (SC% 1h 150C)

- Change of state

- Speed of evaporation

Not defined.

- Information relating to classes of physical hazards

- Explosives

Not applicable

- Flammable gases

Not applicable

- Aerosols

Not applicable

Gas oxidizing

Not applicable

Gas under pressure

Not applicable

(continued on page 11)



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 10)

· Flammable liquids	Flammable liquid and vapour. Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Liquids pyrophoric	Not applicable
· Solids pyrophoric	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures which emit flammable gases in contact with water	Not applicable
· Liquids oxidizing	Not applicable
· Solids oxidizing	Not applicable
· Peroxides organic	Not applicable
· Substances or mixtures corrosive to metals	Not applicable
· Desensitized explosives	Not applicable

* **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
Thermal decomposition / conditions to be avoided:
The product does not decompose if used according to the regulations.
- 10.3 Possibility of hazardous reactions No dangerous reactions are known.
- 10.4 Conditions to avoid No further information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
No dangerous decomposition products are known.

* **SECTION 11: Toxicological information**

- 11.1 Information on the hazard classes defined in Regulation (EC) No. 1272/2008
- Toxicity acute
Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

34590-94-8 (methyl-2-methoxyethoxy)propanol		
Oral	LD50	5.135 mg/kg bw (rat)
Cutaneous	LD50	> 19,000 mg/kg bw (rabbit)
	Long-term exposure (8 hours TWA): 50ppm	308 mg/m ³ (Occupational Exposure Limits)
71-36-3 Butan-1-ol		
Oral	LD50	790 mg/kg bw (rat) 3,400 mg/kg bw (rabbit)
Cutaneous	LD50	
By inhalation	LC50/4h	8,000 mg/l (rat)
140-66-9 4-(1,1,3,3-tetramethylbutyl)phenol)		
Oral	LD50	3,210 mg/kg bw (mouse)

(continued on page 12)

**Safety Data Sheet**
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 11)

- **Skin corrosion/irritation**
Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation**
Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity**
Based on available data, the classification criteria are not met.
- **Carcinogenicity**
Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity (STOT) - single exposure** May cause drowsiness or dizziness.
- **Specific target organ toxicity (STOT) - repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**
Based on available data, the classification criteria are not met.

• **11.2 Information on other hazards**• **Endocrine disrupting properties**

98-54-4	4-tert-butylphenol	List	I, II
140-66-9	4-(1,1,3,3-tetramethylbutyl)phenol)	List	THE

* **SECTION 12: Ecological information**

- **12.1 Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
 - **12.2 Persistence and degradability** No further relevant information available.
 - **12.3 Bioaccumulative potential** No further relevant information available.
 - **12.4 Mobility in soil** No further relevant information available.
 - **12.5 Results of PBT and vPvB assessment**
PBT: Not applicable.
vPvB: Not applicable.
 - **12.6 Endocrine-disrupting properties**
See section 11 for information on endocrine disrupting properties.
 - **12.7 Other adverse effects**
 - **Remarks:** Harmful to fish.
- Additional environmental information:**
Additional information:
Water hazard class 1 (D) (Self-classification): slightly dangerous Do not discharge into ground water, water courses or sewage systems undiluted or in large quantities.

(continued on page 13)

EN

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

harmful to aquatic organisms

(Continued from page 12)

* **SECTION 13: Disposal considerations**

• 13.1 Waste treatment methods

• Advice:

Do not dispose of the product with household waste. Do not empty into drains.

• European waste catalogue

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE OF COATINGS (PAINTS, VARNISHES AND GLAZED ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	wastes from the manufacture, formulation, supply and use as well as the removal of paints and varnishes
08 01 11*	waste paints and varnishes, containing organic solvents or other dangerous substances
HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP14	Ecotoxic

• Packaging not cleaned:

• Recommendations: Disposal in accordance with administrative regulations.

• Recommended cleaning agent: Water possibly with the addition of cleaning agents.

* **SECTION 14: Transportation information**14.1 UN Number or ID Number
ADR, IMDG, IATA

UN1263

• 14.2 UN proper shipping name

• ADR
IMDG, IATA1263 PAINTS
PAINT

• 14.3 Transport hazard classes

• ADR

• Class
• Label

3 (F1) Flammable liquids 3

(continued on page 14)

EN



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 13)

IMDG, IATA



Class 3 Flammable liquids
Label 3

· 14.4 Group of packing
ADRs, IMDG, IATA III

· 14.5 Dangers for the environment
Marine pollutants: No

· 14.6 Special precautions for user
Hazard Identification Number (Kemler Number): Attention: Flammable liquids
30
· Number EMS: FE,SELF
Stowage category TO

· 14.7 Shipping in Bulk in accordance with IMO Acts Not applicable.

· Freight/Additional indications:

· ADR
· Amount exempt (EQ): E1
· Amount limited (LQ) 5L
· Amount exempt (EQ) Code: E1
Maximum net quantity per inner packaging: 30ml
Maximum net quantity per outer packaging: 1000ml
· Category of transport 3
· Tunnel restriction code D/E
· Remarks: Exempt in containers up to 450 liters per 2.2.3.1.5 ADR > 450l: 3 F1, III

IMDG
Limited quantities (LQ) 5L
· Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30ml
Maximum net quantity per outer packaging: 1000 ml
· Remarks: > 450l: 3, III

UN "Model Regulation": A 1263 PAINTS, 3, III

EN

(continued on page 15)



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 14)

*

SECTION 15: Regulatory information

· 15.1 Legislative provisions and regulations on health, safety and the environment specific for the substance or mixture

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the components are contained.
- Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements

5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements

50,000 t

· REGULATION (EC) n. 1907/2006 ANNEX XVII Restrictions: 3

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the components are contained.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for Article 5(3) licensing purposes)

None of the components are contained.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the components are contained.

· Regulation (EC) n. 273/2004 relating to drug precursors

None of the components are contained.

· Regulation (EC) No. 111/2005 laying down rules for the control of trade in drug precursors between the Community and third countries

None of the components are contained.

· Provisions national:

· Instruction air technique:

Class	share in %
NC	25-50

15.2 Chemical safety assessment:

A chemical safety assessment has not been carried out.

*

SECTION 16: Other information

The data is based on our current knowledge, but does not represent any guarantee of the product characteristics and does not motivate any legal contractual relationship.

- Relevant phrases
H226 Flammable liquid and vapour. H302 Harmful if swallowed.

(continued on page 16)

EN

**Safety Data Sheet**
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 27 (replaces version 26)

Revision: 05.12.2022

(Continued from page 15)

H304 May be fatal if swallowed and enters airways respiratory.**H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.****H410 Very toxic to aquatic life with long lasting effects.****Previous version date: 05.10.2022****Version number of previous version: 26****· Abbreviations and acronyms:****RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)****ICAO: International Civil Aviation Organisation****ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)****IMDG: International Maritime Code for Dangerous Goods IATA:****International Air Transport Association****GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European****Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances****CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)****DNEL: Derived No-Effect Level (REACH)****PNEC: Predicted No-Effect Concentration (REACH) LC50:****Lethal concentration, 50 percent****LD50: Lethal dose, 50 percent****PBT: Persistent, Bioaccumulative and Toxic vPvB: very****Persistent and very Bioaccumulative Flam. Liq. 3: Flammable****liquids - Category 3 Acute Tox. 4: Acute Toxicity - Category 4****Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2****STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1****Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard to the aquatic environment - Category 1****Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1****Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3****· * Data changed from the previous version**