



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - **Commercial name:** SPINNAKER GOLD FASHION MAT
 - **UFI:** C500-X0T1-U001-Y9NY
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
 - **Sector of use**
 - SU22 Professional uses: public sector (administration, education, entertainment, services, craftsmanship)
 - SU21 Consumer uses: households / general population / consumers
 - **Product category PC9a** Coatings and paints, thinners, paint removers
 - **Process category PROC10** Application with rollers or brushes
 - **Environmental release category**
 - ERC5 Industrial use resulting in inclusion into or on the surface of an article
 - ERC8c Widespread use resulting in inclusion in or on the surface of an article (indoor use)
 - ERC8f Widespread use resulting in inclusion in or on the surface of an article (outdoor use)
 - **Item category AC11 Wooden items**
 - **Use of the Substance / Preparation**
See our data sheet for the application of this product. Teak varnish
- **1.3 Information about the supplier of the safety data sheet**

Producer/supplier:
CECCHI GUSTAVO & C. srl
Via M. Coppino, 253
55049 VIAREGGIO (LU)
ITALY
email: info@cecchi.it

○
- **1.4 Emergency telephone number:**

CECCHI GUSTAVO & C. srl tel: +39 0584 383694, E-mail: info@cecchi.it

Office hours: 8.30-12.30, 14.00-18.30 from Monday to Friday.

CAV "Hospit. Pediatric Child Jesus" Emergency and Reception Dept. DEA Rome Piazza Sant'Onofrio, 4 - 00165 - 06.68593726

Hospital Az. Univ. Foggia Foggia V.le Luigi Pinto, 1 - 71122 - 800183459 Az. Hosp. "A. Cardarelli" Naples Via A. Cardarelli, 9 - 80131 - 081.5453333 CAV Policlinico "Umberto I" Rome V.le del Policlinico, 155 - 00161 - 06.49978000 CAV Policlinico "A. Gemelli" Rome Largo Agostino Gemelli, 8 - 00168 - 06.3054343 Az. Hospital. "Careggi" Medical Toxicology Unit Florence Largo Brambilla, 3 - 50134 W. 055.7947819

CAV National Center for Toxicological Information Pavia Via Salvatore Maugeri,

10 - 27100 - 0382.24444

Hospital. Niguarda Ca' Granda Milan Piazza Ospedale Maggiore, 3 - 20162 - 02.66101029

Papa Giovanni XXII Bergamo Hospital Piazza OMS, 1 - 24127 - 800883300

Verona Integrated Hospital Verona Piazzale Aristide Stefani, 1 - 37126 - 800011858

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 1)

SECTION 2: Hazard identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No. 1272/2008

**GHS02 flame****Flam. Liq. 3 H226 Flammable liquid and vapour.****GHS07****STOT IF 3 H336 May cause drowsiness or dizziness.**

- 2.2 Elements of the label
- Labeling according to Regulation (EC) No. 1272/2008
The product is classified and labeled in accordance with the CLP Regulation.
- Hazard pictograms

**GHS02****GHS07**

- Warning Caution
- Hazardous components determining labelling:
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, < 2% aromatics. (Note-P) 1-methoxy-2-propanol

- Hazard statements
H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.

- Precautionary statements

- P102** Keep out of reach of children.
- P210** Keep away from heat, heated surfaces, sparks, flames and other ignition sources. Smoking prohibited. Do not breathe dust/fume/gas/mist/vapours/spray.
- P260**
- P271** Use only outdoors or in a well-ventilated place. Wear gloves/protective clothing/eye protection/face protection/hearing protection.
- P280**
- P301+P310** IF SWALLOWED: Immediately contact a POISON CENTER/doctor.
- P303+P361+P353** IF ON SKIN (or hair): Take off immediately take off all contaminated clothing. Rinse your skin [or take a shower].
- P501** Dispose of product/container in accordance with local/regional/national/international regulations.

- More data:
EUH066 Repeated exposure may cause dryness or cracking of the skin.

(continued on page 3)

EN

**Safety Data Sheet**
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 2)

- 2.3 Other dangers
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description:
 - Mixture of resins
 - Mixture of solvents with additives

• Dangerous substances:

CAS: 64742-48-9 EC numbers: 919-857-5 Index number: 649-327-00-6 Reg.nr.: 01-2119463258-33	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, < 2% aromatics. (Note-P) Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336	25-50%
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Reg.nr.: 01-2119457435-35	1-methoxy-2-propanol Flam. Liq. 3, H226 STOT SE 3, H336	≤2.5%

• Further information:

Notes P: The substance shall not be classified as carcinogenic or mutagenic as it can be demonstrated that the substance contains less than 0.1% (w/w) benzene (EINECS No. 200-753-7). This note applies only to certain petroleum-derived substances contained in Part 3.

The text of the warning of the mentioned dangers can be found in chapter 16

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
 - Immediately remove clothing contaminated by the product.
- Inhalation:
 - Move to a well-ventilated area. In case of problems, consult your doctor.
- Contact with skin: Wash immediately with water.
- Contact with eyes:
 - Wash with running water for a few minutes keeping the eyelids wide open.
- Ingestion: If pain persists, consult a doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No other information available.

EN

(continued on page 4)



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 3)

* **SECTION 5: Fire fighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing media:
CO₂, dust or water spray. Extinguish large fires with water spray or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture
If heated or in the event of fire, the product emits toxic fumes. No other information available.
- 5.3 Recommendations for fire extinguishers
- Specific protective equipment: Wear a respirator.

* **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and procedures in case of emergency

Ensure sufficient ventilation. Wear a respirator.

Wear protective equipment. Keep unequipped people away.
- 6.2 Environmental precautions:
Prevent the product from entering sewers, quarries or cellars. Dilute abundantly with water.
Prevent infiltration into sewerage/surface water/groundwater.
- 6.3 Methods and materials for containment and cleaning up: Collect the liquid with absorbent material (sand, tripoli, acid binder, universal binder, sawdust).

Dispose of contaminated material in accordance with point 13. Provide sufficient ventilation.
- 6.4 Reference to other sections
For information on safe handling, see Chapter 7. For information on personal protective equipment, see Chapter 8.

For disposal information see Chapter 13.

* **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Protect from heat and direct sunlight.
Accurate ventilation/extraction in workplaces. Avoid the formation of aerosols.
- Information in case of fire and explosion: Keep away from heat sources, do not smoke. Take measures against electrostatic charges.
Have your respirator ready.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
 - Warehouse and container requirements: No particular requirements are required.
- Information on mixed storage: Not necessary.

(continued on page 5)

EN



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 4)

- Further information about storage conditions: Keep containers tightly closed.
- 7.3 Specific end uses wood protection.

*

SECTION 8: Exposure controls/personal protection

• 8.1 Control parameters

- Components whose limit values must be kept under control in environments of work:

107-98-2 1-methoxy-2-propanol
TWA Short-term value: 553 mg/m³, 150 ppm Long-term value: 369 mg/m³, 100 ppm

VL Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin

107-98-2 1-methoxy-2-propanol
TWA Short-term value: 553 mg/m³, 150 ppm Long-term value: 369 mg/m³, 100 ppm

VL Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin

- Information on TWA regulations: Threshold Limit Values

VL: Legislative Decree. n. 81/2008

- DNEL (Derived No Effect Level) for professionals

64742-48-9 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, < aromatic 2%. (Note-P)
Cutaneous Long term - systemic effects. 77 mg/kg/day (Personal)

By inhalation Long term - systemic effects. 871 mg/m³ (Personal)

107-98-2 1-methoxy-2-propanol
Cutaneous Long term - systemic effects. 183 mg/kg/day (Personal)

By inhalation Long-term systemic effects. 78 mg//kg/day (General population)

Short-term systemic effects. 553.5 mg/m³ (Personal)

Short term - local effects. 553.5 mg/m³ (Personal)

Long term - systemic effects. 369 mg/m³ (Personal)

(continued on page 6)

EN

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 5)

• **DNEL (Derived No Effect Level) for the general public**

**64742-48-9 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, < aromatic
2%. (Note-P)**

Oral	Long-term systemic effects.	46 mg/kg bw/day (General population)
Cutaneous	Long term - systemic effects.	46 mg/kg bw/day (General population)
By inhalation	Long term - systemic effects.	185 mg/m³ (Population general)

107-98-2 1-methoxy-2-propanol

Oral	Long-term systemic effects.	33 mg/kg bw/day (General population)
By inhalation	Long term - systemic effects.	43.9 mg/m³ (General population)

• **PNEC**

107-98-2 1-methoxy-2-propanol

Fresh water	10 mg/l (Fresh water) 1 mg/l
Sea water	(Sea water)
Sediments (freshwater)	52.3 mg/kg sed dw (Fresh water)
Sediments (seawater) STP	5.2 mg/kg sed dw (Sea water)
Intermittent releases	100 mg/l (Segmentation, Targeting and Positioning) 100 mg/l (Water)
Soil	4.59 mg/kg (soil)

• **Further information:**

The lists valid at the date of compilation were used as a basis.

• **8.2 Exposure controls**

• **Appropriate technical controls** No further data, see point 7.

• **Individual protection measures, such as personal protective equipment**

• **General protective and occupational hygiene rules:** Remove contaminated clothing immediately.

Wash your hands before break or when work is finished.

• **Respiratory protection**

In case of short or low load, respiratory filter device; in case of intensive or prolonged exposure, use a respirator independent of the surrounding air. We recommend a half-face mask for organic vapors and solvents according to EN140 type A1 or A2.

• **Hand protection**



Protective gloves

The glove material must be waterproof and stable against the product/substance/formulation.

Due to the lack of tests no type of glove material can be recommended with which to handle the product / formulation / chemical mixture.

(continued on page 7)

EN

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 6)

Selection of glove material considering breakthrough times, permeation rates and degradation.

• **Glove material**

The choice of suitable gloves does not only depend on the material but also on other quality characteristics that vary from one manufacturer to another. Since the product represents a formulation of several substances, the stability of the glove materials cannot be calculated in advance and must be tested before use

• **Penetration time of the glove material**

nitrile rubber; glove thickness > 0.45 mm, penetration time > 480 minutes according to EN 374.

PVS, fluorinated rubber; handschoendike > 0.45 mm, pentratietijd > 480 min at EN374.

Ask the glove supplier for the precise breakthrough time which must be respected.

• **For continuous contact for a maximum of 15 minutes, gloves made of the following materials are suitable:**

Butyl rubber

• **Gloves made of the following materials are suitable as protection against splashes:**

chloroprene; glove thickness > 0.7 mm, penetration time > 60 min. according to EN 374.

nitrile rubber; nor gloves > 0.3 mm, penetration time > 60 min. and second 374.

Chloropene; glove thickness > 0.7 mm, penetration time > 60 minutes. according to EN 374.

Nitrile rubber; glove thickness > 0.3 mm, breakthrough time > 60 minutes. according to EN 374.

• **Eye/face protection**



Tight protective glasses

*

SECTION 9: Physical and chemical properties

• **9.1 Information on basic physical and chemical properties**

• **General information**

• **Physical state**

Liquid

• **Color:**

In accordance with the product designation

• **Odor:**

Characteristic

• **Olfactory threshold:**

Not defined.

• **Melting point/freezing point:**

Not defined.

• **Boiling point or initial boiling point and boiling range**

154 °C (64742-48-9 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (Note-P))

(continued on page 8)

EN



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 7)

<ul style="list-style-type: none"> • Flammability • Lower and upper explosive limits 	<p>Flammable.</p>
<ul style="list-style-type: none"> • Inferior: • Superior: • Flash point: • Temperature Of power on: • Temperature Of decomposition: • pH • Viscosity: • Kinematic viscosity at 20 °C • Dynamic: • Solubility • waterfall: • Nighthol/water partition coefficient (logarithmic value) • Vapor pressure: • Density and/or relative density • Density at 20 °C: • Density relative • Density Of steam: 	<p>0.6 Vol % 7 Vol % 38 °C 240 °C Not defined. Not defined. 35 s (ISO 6 mm) Undefined. Completely miscible. Not defined. Not defined. 0.92854 g/cm³ Not defined. Not defined.</p>
<ul style="list-style-type: none"> • 9.2 Others information • I wait: • Shape: • Information important on protection of health and the environment as well as safety • Auto-ignition temperature: • Explosive properties: • Tenor of solvent: • Solvents organic: • VOC (CE) • Solid content: • Change of state • Speed of evaporation 	<p>Liquid</p> <p>Product Not self-igniting. Product is not explosive, however the formation of explosive vapour/air mixtures is possible.</p> <p>50.6% 469.9 g/l 49.1 % (SC % 1h150 C) Not defined.</p>
<ul style="list-style-type: none"> • Information relating to physical hazard classes 	
<ul style="list-style-type: none"> • Explosives • Flammable gases • Aerosols • Gas oxidizers • Gas under pressure • Flammable liquids • Flammable solids • Self-reactive substances and mixtures • Liquids pyrophoric • Solids pyrophoric 	<p>Not applicable Not applicable Not applicable Not applicable Not applicable Flammable liquid and vapour. Not applicable Not applicable Not applicable Not applicable</p>

(continued on page 9)

EN



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 8)

- | | |
|---|----------------|
| • Self-heating substances and mixtures | Not applicable |
| • Substances and mixtures which emit flammable gases when in contact with water | Not applicable |
| • Liquids oxidizers | Not applicable |
| • Solids oxidizers | Not applicable |
| • Peroxides organic | Not applicable |
| • Substances or mixtures corrosive to metals | Not applicable |
| • Desensitized explosives | Not applicable |

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further information available.
- 10.2 Chemical stability
- Thermal decomposition/conditions to avoid:
The product does not decompose if used according to regulations.
- 10.3 Possibility of dangerous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further information available.
- 10.5 Incompatible materials: No further information available.
- 10.6 Hazardous decomposition products:
There are no known dangerous decomposition products.

*

SECTION 11: Toxicological information

- 11.1 Information on the hazard classes defined in Regulation (EC) No. 1272/2008

- Toxicity acute
Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

107-98-2 1-methoxy-2-propanol		
Oral	LD50	5,660 mg/kg bw (rat)
	LD50	13,000 mg/kg bw (rabbit)
	Short-term exposure (15 minutes): 100 ppm	563 mg/m ³ (Occupational exposure limits)
	Long-term exposure (8 hours TWA): 50 ppm	375 mg/m ³ (Occupational exposure limits)
For inhalation	LC50/4 h	6 mg/l (rat)

- Skin corrosion/irritation cutaneous
Based on available data, the classification criteria are not met.

- Serious eye damage/eye irritation
Based on available data, the classification criteria are not met.

- Respiratory or skin sensitization
Based on available data, the classification criteria are not met.

(continued on page 10)

EN

**Safety Data Sheet**
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 9)

- **Mutagenicity on germ cells**
Based on available data, the classification criteria are not met.
- **Carcinogenicity**
Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity (STOT) - single exposure** May cause drowsiness or dizziness.
- **Specific target organ toxicity (STOT) - repeated exposure** Based on available data, the classification criteria are not met.
- **Danger in case of aspiration**
Based on available data, the classification criteria are not met.

• **11.2 Information on other hazards**

-
- Interfering properties with the endocrine system**

None of the components are contained.

* **SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further information available.
- **12.2 Persistence and degradability** No further information available.
- **12.3 Bioaccumulative potential** No further information available.
- **12.4 Mobility in soil** No further information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with properties harmful to the endocrine system.
- **12.7 Other adverse effects**
- **Further information on environmental matters:**
- **Further information:**
Hazard for waters class 1 (D) (Self-classification): slightly dangerous. Do not enter undiluted or in large quantities into groundwater, watercourses or sewers.

* **SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Advice:**
Do not dispose of the product with household waste. Do not enter drains.

(continued on page 11)

EN

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022



(Continued from page 10)

• **European waste catalogue**

08 00 00	WASTES FROM THE PRODUCTION, FORMULATION, SUPPLY AND USE OF COATINGS (PAINTS, VARNISHES AND GLAZED ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	waste from the production, formulation, supply and use as well as the removal of paints and varnishes
08 01 11*	waste paints and varnishes, containing organic solvents or other dangerous substances
HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Case Toxicity aspiration

- **Packaging** Not clean:
- **Advice:** Disposal in accordance with administrative provisions.
- **Recommended detergent:** Water possibly with the addition of detergents.

* **SECTION 14: Transport information**

• 14.1 UN number or ID number	
• ADR, IMDG, IATA	UN1263
• 14.2 UN proper shipping name	
• ADR	1263 PAINTINGS
• IMDG, IATA	PAINT
• 14.3 Transport hazard classes	
• ADR	
	
• Class	3 (F1) Flammable liquids 3
• Label	
• IMDG, IATA	
	
• Class	3 Flammable liquids
• Labels	3
• 14.4 Group of packaging	
• ADR, IMDG, IATA	III
• 14.5 Dangers for the environment	
• Marine pollutant:	No

(continued on page 12)

EN



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 11)

- **14.6 Special precautions for users**

Caution: Flammable liquids

- Hazard identification number (Kemler number):

30

- Number EMS:

FE,SELF

- Stowage Category

TO

- **14.7 Maritime transport in bulk in accordance with IMO acts**

Not applicable.

- **Shipping/additional directions:**

- **ADR**

- Amount exempt (EQ):

E1

- Amount limited (LQ)

5L

- Amount exempt (EQ)

Code: E1**Maximum net quantity per internal packaging: 30 ml****Maximum net quantity per external packaging: 1000 ml****3**

- Category of transport

- Tunnel restriction code

D/E

- Observations:

Exempt in containers up to 450 liters per 2.2.3.1.5 ADR

- **IMDG**

- Limited quantities (LQ)

5L

- Excepted quantities (EQ)

Code: E1**Maximum net quantity for inner packaging: 30 ml****Maximum net quantity for outer packaging: 1000 ml**

- Observations:

-30 l: -

- UN "Model Regulation":

A 1263 PAINTINGS, 3, III

*

SECTION 15: Regulatory information

- **15.1 Health, safety and environmental laws and regulations specific for the substance or mixture**

- Directive 2012/18/EU

- Specified dangerous substances - ANNEX I None of the components are contained.

- Seveso category P5c FLAMMABLE LIQUIDS

- Trigger quantity (tonnes) for the purposes of applying the lower threshold requirements

5,000 tons

- Limit quantity (tonnes) for the purposes of applying the upper threshold requirements

50,000 tons

(continued on page 13)

EN



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 12)

• **REGULATION (EC) n. 1907/2006 ANNEX XVII Restrictions: 3**

• **Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II**

None of the components are contained.

• **REGULATION (EU) 2019/1148**

• **Annex I - PRECURSORS OF RESTRICTED EXPLOSIVES (Upper limit value for licensing purposes under Article 5(3))**

None of the components are contained.

• **Annex II - PRECURSORS OF EXPLOSIVES SUBJECT TO REPORTING**

None of the components are contained.

• **Regulation (EC) n. 273/2004 relating to drug precursors**

None of the components are contained.

• **Regulation (EC) No. 111/2005 laying down rules for the control of trade in drug precursors between the Community and third countries**

None of the components are contained.

• **Provisions national:**

• **Instruction air technique:**

Class	share in	%
NC	50-100	

• **15.2 Chemical safety assessment:**

A chemical safety assessment has not been carried out.

* **SECTION 16: Other information**

The data are reported based on our current knowledge, however they do not represent any guarantee of the characteristics of the product and do not justify any contractual legal relationship.

• **Relevant phrases**

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways respiratory.

H336 May cause drowsiness or dizziness.

• **Date of previous version: 02.23.2022**

• **Version number of previous version: 15**

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA:

International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European

Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(continued on page 14)

EN



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Review: 05.12.2022

(Continued from page 13)

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1

• * Data changed compared to the previous version

EN