

**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Commercial name:** SPINNAKER MAHOGANY
- **UFI:** 3C00-Y05U-F000-9YU3
- **1.2 Relevant identified uses of the substance or mixture and uses advised against:** n.a.
- **Sector of use**
 - SU22 Professional uses: public sector (administration, education, entertainment, services, craftsmanship)
 - SU21 Consumer uses: households / general population / consumers
- **Product category PC9a** Coatings and paints, thinners, paint removers
- **Process category PROC10** Application with rollers or brushes
- **Environmental release category**
 - ERC5 Industrial use resulting in inclusion into or on the surface of an article
 - ERC8c Widespread use resulting in inclusion in or on the surface of an article (indoor use)
 - ERC8f Widespread use resulting in inclusion in or on the surface of an article (outdoor use)
- **Item category AC11 Wooden items**
- **Use of the Substance / Preparation**
See our data sheet for the application of this product.
- **1.3 Information about the supplier of the safety data sheet**
- **Producer/supplier:** CECCHI GUSTAVO & C. srl
Via M. Coppino, 253
55049 VIAREGGIO (LU)
ITALY
tel.+39 0584 383694
email: info@cecchi.it
- **1.4 Emergency telephone number:**
CECCHI GUSTAVO & C. srl - tel: +39 0584 383694, E-mail: info@cecchi.it

Office hours: 8.30-12.30, 14.00-18.30 from Monday to Friday.

CAV "Hospit. Pediatric Child Jesus" Emergency and Reception Dept. DEA Rome Piazza

Sant'Onofrio, 4 - 00165 - 06.68593726

Hospital Az. Univ. Foggia Foggia V.le Luigi Pinto, 1 - 71122 - 800183459 Az. Hosp. "A. Cardarelli"

Naples Via A. Cardarelli, 9 - 80131 - 081.5453333 CAV Policlinico "Umberto I" Rome V.le del

Policlinico, 155 - 00161 - 06.49978000 CAV Policlinico "A. Gemelli" Rome Largo Agostino Gemelli, 8 -

00168 - 06.3054343 Az. Hospital. "Careggi" Medical Toxicology Unit Florence Largo Brambilla, 3 -

50134 W. 055.7947819

CAV National Center for Toxicological Information Pavia Via Salvatore Maugeri,

10 - 27100 - 0382.24444

Hospital. Niguarda Ca' Granda Milan Piazza Ospedale Maggiore, 3 - 20162 -

02.66101029

Papa Giovanni XXII Bergamo Hospital Piazza OMS, 1 - 24127 - 800883300

Verona Integrated Hospital Verona Piazzale Aristide Stefani, 1 - 37126 - 800011858

**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 1)

SECTION 2: Hazard identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No. 1272/2008



GHS02 flame

Flam. Liq. 3

H226 Flammable liquid and vapour.



GHS08 health hazard

Wait. Tox. 1

H304 May be fatal if swallowed and
penetration into the respiratory tract.

GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with effects of
long duration.

GHS07

STOT IF 3

H336 May cause drowsiness or dizziness.

- 2.2 Elements of the label
- Labeling according to Regulation (EC) No. 1272/2008
The product is classified and labeled in accordance with the CLP Regulation.
- Hazard pictograms



GHS02



GHS07



GHS08



GHS09

- Warning Danger
- Hazardous components determining labelling: Hydrocarbons, C9, aromatics. (Note-P).
1-methoxy-2-propanol
- Hazard statements
H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways respiratory.
H411 Toxic to aquatic life with long lasting effects.
- Precautionary statements
P102 Keep out of reach of children.

(continued on page 3)

EN

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 2)

P210 Keep away from heat, heated surfaces, sparks, flames and other ignition sources. Smoking prohibited. Do not breathe dust/fume/gas/mist/vapours/spray.

P260

P271 Use only outdoors or in a well-ventilated place. Wear gloves/protective clothing/eye protection/face protection/hearing protection.

P280

P301+P310 IF SWALLOWED: Immediately contact a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately take off all contaminated clothing. Rinse your skin [or take a shower].

P501 Dispose of product/container in accordance with local/regional/national/international regulations. dangers

- 2.3 Others
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of the following substances with non-hazardous additives.

• Dangerous substances:

CAS: 128601-23-0 EC numbers: 918-668-5 Reg.nr.: 01-2119455851-35	Hydrocarbons, C9, aromatics. (Note-p). ⚠ Flam. Liq. 3, H226 Asp. ⚠ Tox. 1, H304 ⚠ Aquatic Chronic 2, H411 STOT ⚠ SE 3, H335-H336	50-100%
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Reg.nr.: 01-2119457435-35	1-methoxy-2-propanol ⚠ Flam. Liq. 3, H226 STOT ⚠ SE 3, H336	10-25%

• Further information:

Notes P: The substance shall not be classified as carcinogenic or mutagenic as it can be demonstrated that the substance contains less than 0.1% (w/w) benzene (EINECS No. 200-753-7). This note applies only to certain petroleum-derived substances contained in Part 3.

The text of the warning of the mentioned dangers can be found in chapter 16

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
Immediately remove clothing contaminated by the product.
- Inhalation:
Move to a well-ventilated area. In case of problems, consult your doctor.

(continued on page 4)

EN

**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 3)

- Contact with skin: Wash immediately with water.
- Contact with eyes:
Wash with running water for a few minutes keeping the eyelids wide open.
- Ingestion: If pain persists, consult a doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No other information available.

*** SECTION 5: Fire fighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing media:
CO₂, dust or water spray. Extinguish large fires with water spray or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture
If heated or in the event of fire, the product emits toxic fumes. No other information available.
- 5.3 Recommendations for fire extinguishers
- Specific protective equipment: Wear a respirator.

*** SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and procedures in case of emergency
Wear the respirator.
Wear protective equipment. Keep unequipped people away.
- 6.2 Environmental precautions:
Prevent the product from entering sewers, quarries or cellars.
In case of infiltration into water bodies or sewers, notify the competent authorities.

Dilute abundantly with water.
Prevent infiltration into sewerage/surface water/groundwater.
- 6.3 Methods and materials for containment and cleaning up: Collect the liquid with absorbent material (sand, tripoli, acid binder, universal binder, sawdust).

Dispose of contaminated material in accordance with point 13. Provide sufficient ventilation.
- 6.4 Reference to other sections
For information on safe handling, see Chapter 7. For information on personal protective equipment, see Chapter 8.

For disposal information see Chapter 13.

*** SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Careful ventilation/extraction in workplaces.

(continued on page 5)

EN

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 4)

Avoid the formation of aerosols.

- **Information in case of fire and explosion:** Keep away from heat sources, do not smoke. Take measures against electrostatic charges. Have your respirator ready.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Warehouse and container requirements:** No particular requirements are required.

- **Information on mixed storage:** Not necessary.

- **Further information about storage conditions:** Keep containers tightly closed.

- **7.3 Specific end uses wood protection**

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Components whose limit values must be kept under control in environments of work:**

107-98-2 1-methoxy-2-propanol

TWA	Short-term value: 553 mg/m ³ , 150 ppm Long-term value: 369 mg/m ³ , 100 ppm
------------	--

VL	Short-term value: 568 mg/m ³ , 150 ppm Long-term value: 375 mg/m ³ , 100 ppm Skin
-----------	---

107-98-2 1-methoxy-2-propanol

TWA	Short-term value: 553 mg/m ³ , 150 ppm Long-term value: 369 mg/m ³ , 100 ppm
------------	--

VL	Short-term value: 568 mg/m ³ , 150 ppm Long-term value: 375 mg/m ³ , 100 ppm Skin
-----------	---

- **Information on TWA regulations: Threshold Limit Values**

VL: Legislative Decree. n. 81/2008

- **DNEL (Derived No Effect Level) for professionals**

128601-23-0 Hydrocarbons, C9, aromatic. (Note-p).

Cutaneous	Long-term systemic effects.	25 mg//kg/day (Personal)
------------------	-----------------------------	--------------------------

By inhalation	Long term - systemic effects.	150 mg/m ³ (Personal)
----------------------	-------------------------------	----------------------------------

107-98-2 1-methoxy-2-propanol

Cutaneous	Long term - systemic effects.	183 mg/kg/day (Personal)
------------------	-------------------------------	--------------------------

	Long-term systemic effects.	78 mg//kg/day (General population)
--	-----------------------------	------------------------------------

(continued on page 6)

EN

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 5)

By inhalation	Short-term systemic effects.	553.5 mg/m ³ (Personal)
	Short term - local effects.	553.5 mg/m ³ (Personal)
	Long term - systemic effects.	369 mg/m ³ (Personal)

• DNEL (Derived No Effect Level) for the general public

128601-23-0 Hydrocarbons, C9, aromatic. (Note-p).

Oral	Long-term systemic effects.	11 mg/kg bw/day (General population)
Cutaneous	Long term - systemic effects.	11 mg/kg bw/day (General population)
By inhalation	Long term - systemic effects.	32 mg/m ³ (Population general)

107-98-2 1-methoxy-2-propanol

Oral	Long-term systemic effects.	33 mg/kg bw/day (General population)
By inhalation	Long term - systemic effects.	43.9 mg/m ³ (General population)

• PNEC

107-98-2 1-methoxy-2-propanol

Fresh water	10 mg/l (Fresh water)
Sea water	1 mg/l (Sea water)
Sediments (freshwater)	52.3 mg/kg sed dw (Fresh water)
Sediments (seawater) STP	5.2 mg/kg sed dw (Sea water)
Intermittent releases	100 mg/l (Segmentation, Targeting and Positioning) 100 mg/l (Water)
Soil	4.59 mg/kg (soil)

• Further information:

The lists valid at the date of compilation were used as a basis.

• 8.2 Exposure controls

• Appropriate technical controls No further data, see point 7.

• Individual protection measures, such as personal protective equipment

• General protective and occupational hygiene regulations: Keep away from food, drink and fodder.

Remove contaminated clothing immediately.

Wash your hands before break or when work is finished.

• Respiratory protection

In case of short or low load, respiratory filter device; in case of intensive or prolonged exposure, use a respirator independent of the surrounding air. We recommend a half-face mask for organic vapors and solvents according to EN140 type A1 or A2.

(continued on page 7)

EN

**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 6)

• Hand protection**Protective gloves**

The glove material must be waterproof and stable against the product/substance/formulation.

Due to the lack of tests no type of glove material can be recommended with which to handle the product / formulation / chemical mixture.

Selection of glove material considering breakthrough times, permeation rates and degradation.

• Glove material

The choice of suitable gloves does not only depend on the material but also on other quality characteristics that vary from one manufacturer to another. Since the product represents a formulation of several substances, the stability of the glove materials cannot be calculated in advance and must be tested before use

• Penetration time of the glove material

Ask the glove supplier for the precise breakthrough time which must be respected.

• For continuous contact for a maximum of 15 minutes, gloves made of the following materials are suitable:

Butyl rubber

• Gloves made of the materials are suitable as protection against splashes following:

Gloves in PVC

• Gloves made of the following materials are not suitable: None**• Eye/face protection****Tight protective glasses**

*

SECTION 9: Physical and chemical properties**• 9.1 Information on basic physical and chemical properties****• General information****• Physical state**

Liquid

• Color:

In accordance with the product designation

• Odor:

Characteristic

• Olfactory threshold:

Not defined.

• Melting point/freezing point:

Not defined.

• Boiling point or initial boiling point and boiling range

150 °C (64742-95-6 Hydrocarbons, C9, aromatic. (Note-P).)

(continued on page 8)

EN

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 7)

<ul style="list-style-type: none"> • Flammability • Lower and upper explosive limits • Inferior: • Superior: • Flash point: • Ignition temperature: • Decomposition temperature: • ph • Viscosity: • Kinematic viscosity at 20 °C • Dynamic: • Solubility • waterfall: • Nightnol/water partition coefficient (logarithmic value) • Vapor pressure at 20 °C: • Density and/or relative density • Density at 20 °C: • Density relative • Density Of steam: 	<p>Flammable.</p> <p>2.3 Vol % (107-98-2 1-methoxy-2-propanol) ~20 Vol % (107-98-2 1-methoxy-2-propanol)</p> <p>47°C</p> <p>270 °C (107-98-2 1-methoxy-2-propanol) Not defined.</p> <p>Not defined.</p> <p>10 s (DIN 53211/4) Not defined.</p> <p>Completely miscible.</p> <p>Undefined.</p> <p>12 hPa (107-98-2 1-methoxy-2-propanol)</p> <p>0.9 g/cm³</p> <p>Not defined.</p> <p>Not defined.</p>
<ul style="list-style-type: none"> • 9.2 Others information • I wait: • Shape: • Information important on protection of health and the environment as well as safety • Auto-ignition temperature: • Explosive properties: • Tenor of solvent: • Solvents organic: • VOC (CE) • Content solid: • Change of state • Speed of evaporation 	<p>Liquid</p> <p>Product not self-igniting. Product is not explosive, however the formation of vapour/air mixtures is possible explosive.</p> <p>97.3 %</p> <p>875.6 g/l</p> <p>2.7 %</p> <p>Not defined.</p>
<ul style="list-style-type: none"> • Information relating to physical hazard classes • Explosives • Flammable gases • Aerosols • Gas oxidizers • Gas under pressure • Flammable liquids • Flammable solids • Self-reactive substances and mixtures • Pyrophoric liquids 	<p>Not applicable</p> <p>Not applicable</p> <p>Not applicable</p> <p>Not applicable</p> <p>Not applicable</p> <p>Not applicable</p> <p>Flammable liquid and vapour. Not applicable</p> <p>Not applicable</p> <p>Not applicable</p>

(continued on page 9)

EN

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 8)

- | | |
|---|----------------|
| • Pyrophoric solids | Not applicable |
| • Self-heating substances and mixtures | Not applicable |
| • Substances and mixtures which emit flammable gases when in contact with water | Not applicable |
| • Liquids oxidizers | Not applicable |
| • Solids oxidizers | Not applicable |
| • Peroxides organic | Not applicable |
| • Substances or mixtures corrosive to metals | Not applicable |
| • Desensitized explosives | Not applicable |

* **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further information available.
- 10.2 Chemical stability
- Thermal decomposition/conditions to avoid:
The product does not decompose if used according to regulations.
- 10.3 Possibility of dangerous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further information available.
- 10.5 Incompatible materials: No further information available.
- 10.6 Hazardous decomposition products:
There are no known dangerous decomposition products.

* **SECTION 11: Toxicological information**

- 11.1 Information on the hazard classes defined in Regulation (EC) No. 1272/2008

- Toxicity acute
Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

107-98-2 1-methoxy-2-propanol

Oral	LD50	5,660 mg/kg bw (rat)
Cutaneous	LD50	13,000 mg/kg bw (rabbit)
	Short-term exposure (15 minutes): 100 ppm	563 mg/m ³ (Occupational exposure limits)
	Long-term exposure (8 hours TWA): 50 ppm	375 mg/m ³ (Occupational exposure limits)
For inhalation	LC50/4 h	6 mg/l (rat)

- Skin corrosion/irritation cutaneous
Based on available data, the classification criteria are not met.
- Serious eye damage/eye irritation
Based on available data, the classification criteria are not met.

(continued on page 10)

EN

**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 9)

- **Respiratory or skin sensitization**
Based on available data, the classification criteria are not met.
- **Mutagenicity on germ cells**
Based on available data, the classification criteria are not met.
- **Carcinogenicity**
Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity (STOT) - single exposure** May cause drowsiness or dizziness.
- **Specific target organ toxicity (STOT) - repeated exposure** Based on available data, the classification criteria are not met.
- **Danger in case of aspiration**
It can be lethal if ingested and enters the respiratory tract.
- **11.2 Information on other hazards**

• Interfering properties with the endocrine system
None of the components are contained.

*** SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further information available.
- **12.2 Persistence and degradability** No further information available.
- **12.3 Bioaccumulative potential** No further information available.
- **12.4 Mobility in soil** No further information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with properties harmful to the endocrine system.
- **12.7 Other adverse effects**
- **Remarks:** Toxic for fish.
- **Further information on environmental matters:**
- **Further information:**
Hazard for waters class 2 (D) (Self-classification): dangerous Do not enter groundwater, watercourses or sewers. Danger for drinking water even in the event of leaks of small quantities of product underground.

Toxic for fish and plankton. toxic to aquatic organisms

EN

(continued on page 11)

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 10)

*

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

• Advice:

Do not dispose of the product with household waste. Do not enter drains.

• European waste catalogue

08 00 00	WASTES FROM THE PRODUCTION, FORMULATION, SUPPLY AND USE OF COATINGS (PAINTS, VARNISHES AND GLAZED ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	waste from the production, formulation, supply and use as well as the removal of paints and varnishes
08 01 11*	waste paints and varnishes, containing organic solvents or other dangerous substances
HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP14	Ecotoxic

• Packaging not clean:

• Advice: Disposal in accordance with administrative provisions.

• Recommended detergent: Water possibly with the addition of detergents.

*

SECTION 14: Transport information

• 14.1 UN number or ID number

• ADR, IMDG, IATA

UN1263

• 14.2 UN proper shipping name

• ADR

• IMDG

• IATA

1263 PAINTS, DANGEROUS FOR THE ENVIRONMENT
PAINT, MARINE POLLUTANT
PAINT

• 14.3 Transport hazard classes

• ADR



• Class

• Label

3 (F1) Flammable liquids 3

• IMDG



• Class

3 Flammable liquids

(continued on page 12)

EN


Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 11)

• Labels	3
• IATA	
	
• Class	3 Flammable liquids
• Labels	3
• 14.4 Group of packaging	
• ADR, IMDG, IATA	III
• 14.5 Dangers for the environment	
• Marine pollutant:	No
• Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
• 14.6 Special precautions for users	Caution: Flammable liquids
• Hazard identification number (Kemler number):	30
• Number EMS:	FE,SELF
• Stowage Category	TO
• 14.7 Maritime transport in bulk in accordance with IMO acts	Not applicable.
• Shipping/additional directions:	
• ADR	
• Amount exempt (EQ):	E1
• Amount limited (LQ)	5L
• Amount exempt (EQ)	Code: E1
	Maximum net quantity per internal packaging: 30 ml
	Maximum net quantity per external packaging: 1000 ml
• Category of transport	3
• Tunnel restriction code	D/E
• IMDG	
• Limited quantities (LQ)	5L
• Excepted quantities (EQ)	Code: E1
	Maximum net quantity for inner packaging: 30 ml
	Maximum net quantity for outer packaging: 1000 ml
• UN "Model Regulation":	UN 1263 PAINTS, 3, III, DANGEROUS FOR THE ENVIRONMENT

EN

(continued on page 13)

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 12)

*

SECTION 15: Regulatory information

- 15.1 Health, safety and environmental laws and regulations specific for the substance or mixture

- Directive 2012/18/EU
- Specified dangerous substances - ANNEX I None of the components are contained.
- Category Seveso
E2 Dangerous for the aquatic environment.
P5c FLAMMABLE LIQUIDS
- Trigger quantity (tonnes) for the purposes of applying the lower threshold requirements
200 tons
- Limit quantity (tonnes) for the purposes of applying the upper threshold requirements
500 tons

- REGULATION (EC) n. 1907/2006 ANNEX XVII Restrictions: 3

- Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
None of the components are contained.

- REGULATION (EU) 2019/1148

- Annex I - PRECURSORS OF RESTRICTED EXPLOSIVES (Upper limit value for licensing purposes under Article 5(3))

None of the components are contained.

- Annex II - PRECURSORS OF EXPLOSIVES SUBJECT TO REPORTING

None of the components are contained.

- Regulation (EC) n. 273/2004 relating to drug precursors

None of the components are contained.

- Regulation (EC) No. 111/2005 laying down rules for the control of trade in drug precursors between the Community and third countries

None of the components are contained.

- Provisions national:

- Instruction air technique:

Class	share in %
NC	50-100

- 15.2 Chemical safety assessment:
A chemical safety assessment has not been carried out.

*

SECTION 16: Other information

The data are reported based on our current knowledge, however they do not represent any guarantee of the characteristics of the product and do not justify any contractual legal relationship.

(continued on page 14)

EN

**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 15 (replaces version 14)

Review: 05.12.2022

(Continued from page 13)

• Relevant phrases

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways respiratory.
- H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

• Date of previous version: 02.23.2022**• Version number of previous version: 14****• Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA:

International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European

Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) LC50:

Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very

Persistent and very Bioaccumulative Flam. Liq. 3: Flammable

liquids - Category 3

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term hazard to the aquatic environment - Category 2

• * Data changed compared to the previous version