

**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product Identifier**

Trade name: SPINNAKER EGGSHELL

UFI: GS00-G0MT-Y00G-MPRE

1.2 Relevant identified uses of the substance or mixture and uses advised against**Sector of use**

SU22 Professional uses: public sector (administration, education, entertainment, services, crafts)

SU21 Consumer uses: households / general population / consumers

Product category PC9a

Coatings and paints, thinners, paint strippers

Process category PROC10

Application with rollers or brushes

Environmental release category

ERC5 Industrial use resulting in inclusion into or onto the surface of an article

ERC8c Widespread use resulting in an inclusion in or on the surface of an article (indoor use)

ERC8f Widespread use resulting in inclusion into or onto an article (outdoor use)

Category of articles AC11 Wooden articles**Application of the substance / the preparation**

See our datasheet for the application of this product. Varnish for teak

1.3 Details of the supplier of the safety data sheet**Manufacturer/supplier:**

CECCHI GUSTAVO & C. srl

Via M.Coppino, 253 55049

VIAREGGIO (LU) ITALY

email: info@cecchi.it

1.4 Emergency telephone number:

CECCHI GUSTAVO & C. srl tel: +39 0584 383694, E-mail: info@cecchi.it Office hours:

8:30-12:30, 14:00-18:30 from Monday to Friday.

CAV "Hosp. Pediatric Bambino Gesù" Department of Emergency and Acceptance DEA Rome

Piazza Sant'Onofrio, 4 - 00165 - 06.68593726

Hospital Univ. Foggia Foggia V.le Luigi Pinto, 1 - 71122 - 800183459 Az. Osp. "A. Cardarelli" Naples Via

A. Cardarelli, 9 - 80131 - 081.5453333 CAV Policlinico "Umberto I" Rome Viale del Policlinico, 155 -

00161 -06.49978000 CAV Policlinico "A. Gemelli" Rome Largo Agostino Gemelli, 8 - 00168 - 06.3054343

Hosp. "Careggi" Unit of Medical Toxicology Florence Largo Brambilla, 3 - 50134 W. 055.7947819

CAV National Toxicological Information Center Pavia Via Salvatore Maugeri,

10 - 27100 - 0382.24444

hosp. Niguarda Ca' Granda Milan Piazza Maggiore Hospital, 3 - 20162 - 02.66101029

Pope John XXII Hospital Bergamo Piazza OMS, 1 - 24127 - 800883300

Verona Integrated Hospital Verona Piazzale Aristide Stefani, 1 - 37126 - 800011858

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 1)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to regulation (EC) n. 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS07

STOT IF 3 H336 May cause drowsiness or dizziness.

- 2.2 Elements of the label
- Labeling according to regulation (EC) n. 1272/2008
The product is classified and labeled in accordance with the CLP regulation.
- Hazard pictograms



GHS02



GHS07

- Warning Caution

Hazardous components determining labelling:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics. (Note-P) 1-methoxy-2-propanol

- Warning statements
H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.
- Precautionary statements

- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, flames and other ignition sources. Smoking prohibited. Do not breathe dust/fume/gas/mist/vapours/spray.
- P260
- P271 Use only outdoors or in a well-ventilated area. Wear gloves/protective clothing/eye protection/face protection/hearing protection.
- P280
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
- P303+P361+P353 IF ON SKIN (or hair): Get off immediately off all contaminated clothing. Rinse skin [or take a shower].
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- More data:
EUH066 Repeated exposure may cause skin dryness or cracking skin.

(continued on page 3)



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 2)

- 2.3 Other dangers
- Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description:
Blend of resins
Blend of solvents with additives

Dangerous substances:

CAS: 64742-48-9 EC numbers: 919-857-5 Index number: 649-327-00-6 Reg. no.: 01-2119463258-33	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics. (Note-P) ⚠ Flam. Liq. 3, H226 Asp. ⚠ Tox. 1, H304 ⚠ STOT IF 3, H336	25-50%
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Reg. no.: 01-2119457435-35	1-methoxy-2-propanol ⚠ Flam. Liq. 3, H226 STOT ⚠ SE 3, H336	≤2.5%

Additional information:

Notes P: The substance is not to be classified as a carcinogen or mutagen as it can be shown that the substance contains less than 0.1% (w/w) benzene (EINECS No. 200-753-7). This note applies only to certain petroleum-derived substances in Part 3.

The text of the warning for the dangers mentioned can be found in chapter 16

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
Immediately remove any clothing contaminated by the product.
- Inhalation:
Take to a well-ventilated area, in case of discomfort consult a doctor.
- After skin contact: Wash off immediately with water.
- Eye contact:
Wash with running water for a few minutes keeping the eyelids wide open.
- After ingestion: If pain persists, consult a doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No other information available.

EN

(continued on page 4)

**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 3)

SECTION 5: Fire fighting measures**· 5.1 Extinguishing media****Suitable extinguishing media:****CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.****· 5.2 Special hazards arising from the substance or mixture****If heated or in case of fire, the product develops toxic fumes. No other information available.****· 5.3 Advice for firefighters****· Protective equipment: Wear respirator.****SECTION 6: Accidental release measures****· 6.1 Personal precautions, protective equipment and emergency procedures****Ensure sufficient ventilation. Put on the respirator.****Wear protective equipment. Keep unequipped people away.****6.2 Environmental precautions:****Prevent the product from entering sewers, quarries or cellars. Dilute abundantly with water.****Prevent infiltration into sewers/surface water/groundwater.****· 6.3 Methods and material for containment and cleaning up: Collect the liquid with absorbent material (sand, silica gel, acid binder, universal binder, sawdust).****Dispose of contaminated material in accordance with point 13. Ensure adequate ventilation.****· 6.4 Reference to other sections****See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.****For information on disposal, see Chapter 13.****SECTION 7: Handling and storage****· 7.1 Precautions for safe handling Protect from heat and direct sunlight. Thorough ventilation/extraction in the workplace. Avoid the formation of aerosols.****· Information about protection against fire - and explosions: Keep ignition sources away - Do not smoke. Take measures against electrostatic charges. Have respirator ready.****· 7.2 Conditions for safe storage, including any incompatibilities Storage:****· Requirements to be met by storerooms and vessels:****No special requirements.****· Information about storage in one common storage facility: Not required.**

(continued on page 5)



**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 4)

- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Particular end use(s) wood protection.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components whose limit values must be monitored in rooms of work:

107-98-2 1-methoxy-2-propanol

TWA extension Short-term value: 553 mg/m³, 150 ppm Long-term value: 369 mg/m³, 100 ppm

VL Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin

107-98-2 1-methoxy-2-propanol

TWA extension Short-term value: 553 mg/m³, 150 ppm Long-term value: 369 mg/m³, 100 ppm

VL Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin

· Regulatory information TWA: Threshold Limit Values

VL: Legislative Decree no. 81/2008

· DNEL (Derived No Effect Level) for professionals

64742-48-9 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < al aromatics 2%. (Note-P)

Cutaneous Long-term - systemic effects. 77 mg/kg/day (Personal)

By inhalation Long-term - systemic effects. 871 mg/m³ (Personal)

107-98-2 1-methoxy-2-propanol

Cutaneous Long-term - systemic effects. 183 mg/kg/day (Personal)

By inhalation Long-term systemic effects. 78 mg//kg/day (General population)

Short-term systemic effects. 553.5 mg/m³ (Personal)

Short-term - local effects. 553.5 mg/m³ (Personal)

Long-term - systemic effects. 369 mg/m³ (Personal)

(continued on page 6)

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 5)

· DNEL (Derived No Effect Level) for the general public		
64742-48-9 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < al aromatics 2%. (Note-P)		
Oral	Long-term systemic effects.	46 mg/kg bw/day (General population)
Cutaneous	Long-term - systemic effects.	46 mg/kg bw/day (General population)
By inhalation	Long-term - systemic effects.	185 mg/m³ (Population general)
107-98-2 1-methoxy-2-propanol		
Oral	Long-term systemic effects.	33 mg/kg bw/day (General population)
By inhalation	Long-term - systemic effects.	43.9 mg/m³ (General population)
· NECP		
107-98-2 1-methoxy-2-propanol		
Fresh water	10 mg/l (fresh water) 1 mg/l	
Marine water	(sea water)	
Sediment (freshwater)	52.3 mg/kg sed dw (Fresh water)	
Sediment (seawater) STP	5.2 mg/kg sed dw (Sea water)	
Intermittent releases	100 mg/l (Segmentation, Targeting and Positioning) 100 mg/l (Water)	
Soil	4.59 mg/kg (soil)	

Additional information:

The lists valid at the date of compilation were used as a basis.

· 8.2 Exposure controls

Appropriate engineering controls No further data, see point 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures: Remove contaminated clothing immediately.

Wash hands before breaks or after work.

· Respiratory protection

In case of short or low load, respiratory filter device; in case of intensive or prolonged exposure, use an air-independent respirator. We recommend a half face mask for organic vapors and solvents according to EN140 type A1 or A2.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to lack of tests no recommendation on the glove material with which to handle the product / formulation / chemical mixture can be made.

(continued on page 7)

Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 6)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Glove material**

The selection of the suitable gloves does not only depend on the material but also on other quality features which vary from one manufacturer to another. Since the product represents a formulation of several substances, the stability of the glove materials cannot be calculated in advance and must be tested before use

- **Penetration time of glove material**

nitrile rubber; glove thickness > 0.45 mm, breakthrough time > 480 minutes according to EN 374.

PVS, fluorinated rubber; handschoendike > 0.45 mm, pentratietijd > 480 min to EN374.

Ask the supplier of the gloves for the precise break through time which has to be observed.

For the continuous contact for a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber

As protection against splashes gloves made of the following materials are suitable:

chloroprene; glove thickness > 0.7 mm, breakthrough time > 60 min. according to the EN 374 standard.

nitrile rubber; gloves nor > 0.3 mm, breakthrough time > 60 min. and according to 374.

Chloropene; glove thickness > 0.7 mm, breakthrough time > 60 minutes. according to EN 374.

Nitrile rubber; glove thickness > 0.3 mm, breakthrough time > 60 minutes. according to EN 374.

- **Eye/face protection**



Sealed protective goggles

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General indications**

- **Physical state**

Liquid

- **Color:**

In accordance with the product designation

- **Odor:**

Characteristic

- **Olfactory threshold:**

Not defined.

- **Melting point/freezing point:**

Not defined.

- **Boiling point or initial boiling point and boiling range**

154 °C (64742-48-9 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics. (P-Note))

(continued on page 8)



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 7)

<ul style="list-style-type: none"> · Flammability · Lower and upper explosive limits · Inferior: · Superior: Flash point: · Temperature Of power on: · Temperature Of decomposition: ph · Viscosity: · Kinematic viscosity at 20 °C Dynamics: · Solubility · waterfall: Noctanol/water partition coefficient (logarithmic value) · Vapor pressure: · Density and/or relative density Density at 20 °C: · Density relative · Density Of steam: 	<p>Flammable.</p> <p>0.6 Vol % 7 Vol % 38 °C 240 °C Not defined. Not defined.</p> <p>35s (ISO6mm) Undefined.</p> <p>Completely miscible.</p> <p>Not defined. Not defined.</p> <p>0.92854 g/cm³ Not defined. Not defined.</p>
<ul style="list-style-type: none"> · 9.2 Others information · I wait: Shape: · Information important on protection of health and the environment as well as safety Self-ignition temperature: Explosive properties: · Tenor of solvent: · Solvents organic: VOC (CE) Solid content: · Change of state · Speed of evaporation 	<p>Liquid</p> <p>Product Not self-flammable. Product is not explosive, however formation of explosive vapour/air mixtures is possible.</p> <p>50.6% 469.9 g/l 49,1 % (SC % 1h150 C)</p> <p>Not defined.</p>
<ul style="list-style-type: none"> · Information relating to classes of physical hazards · Explosives · Flammable gases · Aerosols Gas oxidizing Gas under pressure · Flammable liquids · Flammable solids · Self-reactive substances and mixtures · Liquids pyrophoric · Solids pyrophoric 	<p>Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Flammable liquid and vapour. Not applicable Not applicable Not applicable Not applicable</p>

(continued on page 9)



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 8)

- | | |
|--|----------------|
| · Self-heating substances and mixtures | Not applicable |
| · Substances and mixtures which emit flammable gases in contact with water | Not applicable |
| · Liquids oxidizing | Not applicable |
| · Solids oxidizing | Not applicable |
| · Peroxides organic | Not applicable |
| · Substances or mixtures corrosive to metals | Not applicable |
| · Desensitized explosives | Not applicable |

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
Thermal decomposition / conditions to be avoided:
The product does not decompose if used according to the regulations.
- 10.3 Possibility of hazardous reactions No dangerous reactions are known.
- 10.4 Conditions to avoid No further information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
No dangerous decomposition products are known.

SECTION 11: Toxicological information

- 11.1 Information on the hazard classes defined in Regulation (EC) No. 1272/2008
- Toxicity acute
Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

107-98-2 1-methoxy-2-propanol		
Oral	LD50	5,660 mg/kg bw (rat)
	Cutaneous	LD50 13,000 mg/kg bw (rabbit)
For inhalation	Short-term exposure (15 minutes): 100ppm	563 mg/m ³ (Occupational Exposure Limits)
	Long-term exposure (8 hours TWA): 50ppm	375 mg/m ³ (Occupational Exposure Limits)
	LC50/4h	6 mg/l (rat)

- Skin corrosion/irritation cutaneous
Based on available data, the classification criteria are not met.
- Serious eye damage/irritation
Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation
Based on available data, the classification criteria are not met.

(continued on page 10)

**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 9)

- **Germ cell mutagenicity**
Based on available data, the classification criteria are not met.
- **Carcinogenicity**
Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity (STOT) - single exposure** May cause drowsiness or dizziness.
- **Specific target organ toxicity (STOT) - repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**
Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
None of the components are contained.

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
 - **12.2 Persistence and degradability** No further relevant information available.
 - **12.3 Bioaccumulative potential** No further relevant information available.
 - **12.4 Mobility in soil** No further relevant information available.
 - **12.5 Results of PBT and vPvB assessment**
PBT: Not applicable.
vPvB: Not applicable.
 - **12.6 Endocrine-disrupting properties**
The product does not contain substances with harmful properties for the endocrine system.
 - **12.7 Other adverse effects**
- Additional environmental information:**
Additional information:
Water hazard class 1 (D) (Self-classification): slightly dangerous Do not discharge into ground water, water courses or sewage systems undiluted or in large quantities.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Advice:**
Do not dispose of the product with household waste. Do not empty into drains.

(continued on page 11)

EN



Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022



(Continued from page 10)

· European waste catalogue	
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE OF COATINGS (PAINTS, VARNISHES AND GLAZED ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	wastes from the manufacture, formulation, supply and use as well as the removal of paints and varnishes
08 01 11*	waste paints and varnishes, containing organic solvents or other dangerous substances
HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Toxicity in case of aspiration

- Packaging Not clean:
- Recommendations: Disposal in accordance with administrative regulations.
- Recommended cleaning agent: Water possibly with the addition of cleaning agents.

*

SECTION 14: Transportation information

14.1 UN Number or ID Number ADR, IMDG, IATA	UN1263
· 14.2 UN proper shipping name · ADR IMDG, IATA	1263 PAINTS PAINT
· 14.3 Transport hazard classes · ADR	
	
· Class · Label	3 (F1) Flammable liquids 3
IMDG, IATA	
	
Class Label	3 Flammable liquids 3
· 14.4 Group of packing ADRs, IMDG, IATA	III
· 14.5 Dangers for the environment Marine pollutants:	No

(continued on page 12)

**Safety Data Sheet**
pursuant to Regulation 1907/2006/EC, Article 31

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 11)

· 14.6 Special precautions for user

Hazard Identification Number (Kemler
Number):· Number EMS:
Stowage category

Warning: Flammable liquids

30
FE,SELF
TO· 14.7 Shipping in Bulk in accordance with IMO
Acts

Not applicable.

· Freight/Additional indications:

· ADR

· Amount exempt (EQ):
· Amount limited (LQ)
· Amount exempt (EQ)E1
5L
Code: E1
Maximum net quantity per inner packaging:
30ml
Maximum net quantity per outer packaging:
1000ml· Category of transport
· Tunnel restriction code
· Remarks:3
D/E
Exempt in containers up to 450 liters per
2.2.3.1.5 ADR

IMDG

Limited quantities (LQ)
· Excepted quantities (EQ)5L
Code: E1
Maximum net quantity per inner
packaging: 30ml
Maximum net quantity per outer
packaging: 1000ml
-30l: -

· Remarks:

UN "Model Regulation":

A 1263 PAINTS, 3, III

SECTION 15: Regulatory information· 15.1 Legislative provisions and regulations on health, safety and the environment specific for the
substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the
components are contained.

· Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements

5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements

50,000 t

(continued on page 13)

**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 12)

· REGULATION (EC) n. 1907/2006 ANNEX XVII Restrictions: 3**Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II****None of the components are contained.****· REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for Article 5(3) licensing purposes)****None of the components are contained.****· Annex II - REPORTABLE EXPLOSIVES PRECURSORS****None of the components are contained.****· Regulation (EC) n. 273/2004 relating to drug precursors****None of the components are contained.****· Regulation (EC) No. 111/2005 laying down rules for the control of trade in drug precursors between the Community and third countries****None of the components are contained.****· Provisions national:****· Instruction air technique:**

Class	share in %
NC	50-100

15.2 Chemical safety assessment:**A chemical safety assessment has not been carried out.****SECTION 16: Other information****The data is based on our current knowledge, but does not represent any guarantee of the product characteristics and does not motivate any legal contractual relationship.****· Relevant phrases****H226 Flammable liquid and vapour.****H304 May be fatal if swallowed and enters airways respiratory.****H336 May cause drowsiness or dizziness.****Previous version date: 02.23.2022****Version number of previous version: 15****· Abbreviations and acronyms:****RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)****ICAO: International Civil Aviation Organisation****ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)****IMDG: International Maritime Code for Dangerous Goods IATA:****International Air Transport Association****GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European****Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances**

(continued on page 14)



**Safety Data Sheet
pursuant to Regulation 1907/2006/EC, Article 31**

Printed on: 05.12.2022

Version number 16 (replaces version 15)

Revision: 05.12.2022

(Continued from page 13)

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1

· * Data changed from the previous version

EN